

Coffee System

Coffee Grinder with Hopper, 0,7 kg, black with medium duty grinder

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



600656 (E810)

Single Portion Grinder with one 0,7 kg hopper (grind types: Espresso, Fine, Auto Drip, Drip, Percolator) - medium duty grinder

Short Form Specification

Item No. _____

Coffee grinder with hopper, black color. Fast grind time, suitable for various types of coffee. Compact dimensions for table top configuration.

Powerful motor with circuit breaker and manual on/off switch.

Main Features

- Easy-to-Follow instructions.
- Available in black finish.
- Automatic Shut-off.
- Ideal for low to medium volume specialty shops, grocery and convenience stores.
- Espresso to percolator grind selection.
- Grind types: Espresso, Fine, Auto Drip, Drip, Percolator.
- How to Operate:
 - 1. Turn the selector knob to the desired grind setting.
 - 2. Fill the hopper with the desired type and amount of whole bean coffee. Close the lid.
 - 3. Place the bag underneath the spout.
 - 4. Press the grinder switch to the ON position.
 - 5. Once coffee is ground, press the grinder switch to the off position or grinder will continuously run.
 - 6. Remove bag from coffee spout once coffee is ground.

Construction

- Compact dimensions for table top configuration.
- Powerful motor with circuit breaker.
- Manual On/Off switch.
- Space saving design - 18cm wide.


APPROVAL: _____




Electrolux
PROFESSIONAL

Coffee System
Coffee Grinder with Hopper, 0,7 kg,
black with medium duty grinder


Front



Side



Top



Coffee System
Coffee Grinder with Hopper, 0,7 kg, black with medium duty grinder

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.08.14

Electric

Supply voltage: 230 V/1N ph/50 Hz
Electrical power, max: 0.8 kW

Key Information:

Net weight: 17 kg
Shipping weight: 23.5 kg
Shipping height: 800 mm
Shipping width: 320 mm
Shipping depth: 470 mm
Shipping volume: 0.12 m³