

Food Processor - TrinityPro Cutter Mixer 3,6 Lt Single Speed

600996 (K36)	Cutter Mixer 3.6 It with stainless steel bowl, 1500 rpm, Schuko plug	C • 1 • F • F
Short Form Specification		۱ • د
Item No. Table top Cutter Mixer. 3,6 litres, stainless steel bowl with scraper and central feed hole for adding products in mid- cycle. Transparent copolyester lid. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Single speed 1500 rpm with on/pulse/off function for simple operations. With Schuko plug.		r (• () • () • () • () • () • () • () •

Main Features

ITEM #

SIS #

AIA #

<u>MODEL #</u> NAME #

- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Productivity up to 50 settings per service.
- Includes 3,6 liter stainless steel bowl with microtoothed blades rotor.

Construction

- 1 speed: 1.500 rpm.
- Power: 500 Watts.
- Bowl in AISI 304 stainless steel.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.

APPROVAL:

Excelence



Included Accessories


Included Accessories		
• 1 of Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models)	PNC 650118	
 1 of Microtoothed blade rotor for 3.6lt Cutter Mixer 	PNC 650233	
 1 of Stainless steel bowl for 3.6lt Cutter Mixer 	PNC 650235	
 1 of Scraper for 3.6lt Cutter Mixer bowl 	PNC 650236	
Optional Accessories		
 Transparent lid for 2,6lt Cutter Mixer bowl 	PNC 650117	
 Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) 	PNC 650118	
Microtoothed blade rotor for 2.6lt Cutter Mixer	PNC 650226	
Smooth blade rotor for 2.6lt Cutter Mixer	PNC 650227	
Stainless steel bowl for 2,6lt Cutter Mixer	PNC 650228	
 Transparent copolyester bowl for 2,6lt Cutter Mixer 	PNC 650229	
Scraper for 2.6lt Cutter Mixer bowl	PNC 650230	
 Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper 	PNC 650231	
Microtoothed blade rotor for 3.6lt Cutter Mixer	PNC 650233	
Smooth blade rotor for 3.6lt Cutter Mixer	PNC 650234	
• Stainless steel bowl for 3.6lt Cutter Mixer	PNC 650235	
Scraper for 3.6lt Cutter Mixer bowl	PNC 650236	
 Transparent bowl for 2.6lt cutter 	PNC 650245	

 Transparent bowl for 2,6lt cutter mixer, microtoothed rotor, lid with scraper



FROFESSIONAL

Food Processor TrinityPro Cutter Mixer 3,6 Lt -Single Speed



20-240 V/1N ph/50 Hz
5 kW 5 kW
6 litres
52 mm 34 mm 76 mm kg kg kg

Food Processor TrinityPro Cutter Mixer 3,6 Lt - Single Speed

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.