

## Food Processor

### TrinityPro Cutter Mixer 3,6 Lt - Single Speed

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



600996 (K36)

Cutter Mixer 3.6 Lt with stainless steel bowl, 1500 rpm, Schuko plug

#### Short Form Specification

##### Item No. \_\_\_\_\_

Table top Cutter Mixer. 3,6 litres, stainless steel bowl with scraper and central feed hole for adding products in mid-cycle. Transparent copolyester lid. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Single speed 1500 rpm with on/pulse/off function for simple operations. With Schuko plug.

#### Main Features

- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Productivity up to 50 settings per service.
- Includes 3,6 liter stainless steel bowl with micro-toothed blades rotor.

#### Construction

- 1 speed: 1.500 rpm.
- Power: 500 Watts.
- Bowl in AISI 304 stainless steel.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.

APPROVAL: \_\_\_\_\_


### Included Accessories

- 1 of Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) PNC 650118
- 1 of Microtoothed blade rotor for 3.6lt Cutter Mixer PNC 650233
- 1 of Stainless steel bowl for 3.6lt Cutter Mixer PNC 650235
- 1 of Scraper for 3.6lt Cutter Mixer bowl PNC 650236


### Optional Accessories

- Transparent lid for 2,6lt Cutter Mixer bowl PNC 650117 ☐
- Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) PNC 650118 ☐
- Microtoothed blade rotor for 2.6lt Cutter Mixer PNC 650226 ☐
- Smooth blade rotor for 2.6lt Cutter Mixer PNC 650227 ☐
- Stainless steel bowl for 2,6lt Cutter Mixer PNC 650228 ☐
- Transparent copolyester bowl for 2,6lt Cutter Mixer PNC 650229 ☐
- Scraper for 2.6lt Cutter Mixer bowl PNC 650230 ☐
- Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper PNC 650231 ☐
- Microtoothed blade rotor for 3.6lt Cutter Mixer PNC 650233 ☐
- Smooth blade rotor for 3.6lt Cutter Mixer PNC 650234 ☐
- Stainless steel bowl for 3.6lt Cutter Mixer PNC 650235 ☐
- Scraper for 3.6lt Cutter Mixer bowl PNC 650236 ☐
- Transparent bowl for 2,6lt cutter mixer, microtoothed rotor, lid with scraper PNC 650245 ☐

Front




Side



EI = Electrical inlet (power)

Top



### Electric

|                        |                       |
|------------------------|-----------------------|
| Supply voltage:        | 220-240 V/1N ph/50 Hz |
| Electrical power, max: | 0.5 kW                |
| Total Watts:           | 0.5 kW                |

### Capacity:

|                      |            |
|----------------------|------------|
| Performance (up to): | 0 kg/Cycle |
| Capacity:            | 3.6 litres |

### Key Information:

|                                  |        |
|----------------------------------|--------|
| External dimensions, Width:      | 252 mm |
| External dimensions, Depth:      | 334 mm |
| External dimensions, Height:     | 476 mm |
| Shipping weight:                 | 16 kg  |
| Meat mincing capacity:           | 0 kg   |
| Mayonnaise preparation capacity: | 0 kg   |
| Pastry preparation capacity:     | 0 kg   |