

# Food Processor TrinityPro Cutter Mixer 3,6 Lt -Variable Speed - UK plug

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



602144 (K36VSG)

Cutter Mixer 3.6 It with stainless steel bowl, variable speed, 500-3600 rpm, UK plug

# **Short Form Specification**

#### Item No.

Table top Cutter Mixer. 3,6 litres, stainless steel bowl with scraper and central feed hole for adding products in midcycle. Transparent copolyester lid. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Variable speed with 9 levels (500 to 3600 rpm) for extra smooth results and emulsifying. With UK plug.

### **Main Features**

- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Productivity up to 50 settings per service.
- 9 speed levels for extra smooth results and high speed emulsifying.
- Includes 3,6 liter stainless steel bowl with microtoothed blades rotor.

## Construction

- Bowl in AISI 304 stainless steel.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Variable speed: 500 3600 rpm.
- Motor power: 750 Watt.
- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.

#### APPROVAL:







## **Included Accessories**

• 1 of Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models)	PNC 650118
<ul> <li>1 of Microtoothed blade rotor for 3.6It Cutter Mixer</li> </ul>	PNC 650233
<ul> <li>1 of Stainless steel bowl for 3.6lt Cutter Mixer</li> </ul>	PNC 650235
• 1 of Scraper for 3.6lt Cutter Mixer bowl	PNC 650236

Optional Accessories		
• Transparent lid for 2,6lt Cutter Mixer bowl	PNC 650117	
<ul> <li>Transparent lid without sealing for 3,6It Cutter Mixer bowl (1 speed models)</li> </ul>	PNC 650118	
<ul> <li>Microtoothed blade rotor for 2.6lt Cutter Mixer</li> </ul>	PNC 650226	
<ul> <li>Smooth blade rotor for 2.6lt Cutter Mixer</li> </ul>	PNC 650227	
<ul> <li>Stainless steel bowl for 2,6lt Cutter Mixer</li> </ul>	PNC 650228	
<ul> <li>Transparent copolyester bowl for 2,6lt Cutter Mixer</li> </ul>	PNC 650229	
• Scraper for 2.6lt Cutter Mixer bowl	PNC 650230	
<ul> <li>Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper</li> </ul>	PNC 650231	
<ul> <li>Microtoothed blade rotor for 3.6lt Cutter Mixer</li> </ul>	PNC 650233	
• Smooth blade rotor for 3.6lt Cutter Mixer	PNC 650234	
<ul> <li>Stainless steel bowl for 3.6lt Cutter Mixer</li> </ul>	PNC 650235	
• Scraper for 3.6lt Cutter Mixer bowl	PNC 650236	
<ul> <li>Transparent bowl for 2,6lt cutter</li> </ul>	PNC 650245	


mixer, microtoothed rotor, lid with


scraper






# **Food Processor** TrinityPro Cutter Mixer 3,6 Lt -Variable Speed - UK plug





Electrical inlet (power)



## **Electric**

Supply voltage:

602144 (K36VSG) 220-240 V/1N ph/50/60 Hz

Electrical power max.: 0.75 kW

**Total Watts:** 0.75 kW

Capacity:

Side

Top

Performance (up to):

Capacity: 3.6 litres

**Key Information:** 

External dimensions, Width: 252 mm External dimensions, Depth: 334 mm External dimensions, Height: 476 mm 16.9 kg Shipping weight: Meat mincing capacity: 0 kg Mayonnaise preparation capacity: 0 kg

Pastry preparation capacity: 0 kg

