

Food Processor TrinityPro Cutter Mixer 3,6 Lt with sealed lid - Variable Speed



Main	Features	

ITEM #

SIS #

AIA #

<u>MODEL #</u> NAME #

- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Includes 3,6 liter stainless steel bowl with microtoothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Productivity up to 50 settings per service.
- 9 speed levels for extra smooth results and high speed emulsifying.
- Transparent lid, with sealing to prevent leakage and with funnel shaped hole, to add ingredients during use.

Construction

- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.
- Variable speed: 500 3600 rpm.
- Motor power: 750 Watt.
- Bowl in AISI 304 stainless steel.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.

APPROVAL:

Excelence



Included Accessories

- 1 of Microtoothed blade rotor for PNC 650233 3.6lt Cutter Mixer
- 1 of Stainless steel bowl for 3.6lt PNC 650235 Cutter Mixer
- 1 of Scraper for 3.6lt Cutter Mixer PNC 650236 bowl
- 1 of Transparent lid for 3,6lt Cutter PNC 653862 Mixer bowl with sealing and scraper

Optional Accessories


- Transparent lid for 2,6lt Cutter Mixer PNC 650117 Dowl
- Transparent lid without sealing for PNC 650118 3,6lt Cutter Mixer bowl (1 speed models)
- Microtoothed blade rotor for 2.6lt PNC 650226 Cutter Mixer

- Smooth blade rotor for 2.6lt Cutter PNC 650227
 Mixer
- Stainless steel bowl for 2,6lt Cutter PNC 650228 Mixer
- Transparent copolyester bowl for PNC 650229 2,6lt Cutter Mixer
- Scraper for 2.6lt Cutter Mixer bowl PNC 650230
- Stainless steel bowl for 2,6lt Cutter PNC 650231 Mixer, microtoothed rotor, lid with scraper
- Microtoothed blade rotor for 3.6lt PNC 650233 Cutter Mixer
- Smooth blade rotor for 3.6lt Cutter PNC 650234 Mixer
- Stainless steel bowl for 3.6lt Cutter PNC 650235 Mixer
- Scraper for 3.6lt Cutter Mixer bowl PNC 650236
- Transparent bowl for 2,6lt cutter PNC 650245 mixer, microtoothed rotor, lid with
- scraper
 Transparent lid for 3,6lt Cutter Mixer PNC 653862 bowl with sealing and scraper
- Stainless steel bowl for 3,6lt Cutter PNC 653864 Mixer, microtoothed rotor, sealed lid with scraper



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Electrolux PROFESSIONAL



Food Processor TrinityPro Cutter Mixer 3,6 Lt with sealed lid - Variable Speed

Electric

Supply voltage: Electrical power max: Total Watts:	220-240 V/1N ph/50/60 Hz 0.75 kW 0.75 kW
Capacity:	
Performance (up to): Capacity:	3.6 litres
Key Information:	
External dimensions, Width: External dimensions, Depth: External dimensions, Height: Shipping weight: Meat mincing capacity:	585 mm 334 mm 476 mm 17 kg 0 kg
Mayonnaise preparation capacity: Pastry preparation capacity:	0 kg 0 kg

Food Processor TrinityPro Cutter Mixer 3,6 Lt with sealed lid - Variable Speed The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.