

## Food Processor

### TrinityPro Cutter Mixer 3,6 Lt with sealed lid - Variable Speed

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



**602227 (K36SVS)**

Cutter Mixer 3.6 lt with stainless steel bowl, sealed lid, variable speed 500-3600 rpm, Schuko plug

#### Short Form Specification

##### Item No. \_\_\_\_\_

Table top Cutter Mixer. 3,6 litres, stainless steel bowl with sealed lid, scraper and central feed hole for adding products in mid-cycle. Transparent copolyester lid. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Variable speed with 9 levels (500 to 3600 rpm) for extra smooth results and emulsifying. With Schuko plug.

#### Main Features

- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Includes 3,6 liter stainless steel bowl with micro-toothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Productivity up to 50 settings per service.
- 9 speed levels for extra smooth results and high speed emulsifying.
- Transparent lid, with sealing to prevent leakage and with funnel shaped hole, to add ingredients during use.

#### Construction

- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.
- Variable speed: 500 - 3600 rpm.
- Motor power: 750 Watt.
- Bowl in AISI 304 stainless steel.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.

APPROVAL: \_\_\_\_\_

### Included Accessories


- 1 of Microtoothed blade rotor for 3.6lt Cutter Mixer PNC 650233
- 1 of Stainless steel bowl for 3.6lt Cutter Mixer PNC 650235
- 1 of Scraper for 3.6lt Cutter Mixer bowl PNC 650236
- 1 of Transparent lid for 3,6lt Cutter Mixer bowl with sealing and scraper PNC 653862

### Optional Accessories


- Transparent lid for 2,6lt Cutter Mixer bowl PNC 650117 ☐
- Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) PNC 650118 ☐
- Microtoothed blade rotor for 2.6lt Cutter Mixer PNC 650226 ☐
- Smooth blade rotor for 2.6lt Cutter Mixer PNC 650227 ☐
- Stainless steel bowl for 2,6lt Cutter Mixer PNC 650228 ☐
- Transparent copolyester bowl for 2,6lt Cutter Mixer PNC 650229 ☐
- Scraper for 2.6lt Cutter Mixer bowl PNC 650230 ☐
- Stainless steel bowl for 2,6lt Cutter Mixer, microtoothed rotor, lid with scraper PNC 650231 ☐
- Microtoothed blade rotor for 3.6lt Cutter Mixer PNC 650233 ☐
- Smooth blade rotor for 3.6lt Cutter Mixer PNC 650234 ☐
- Stainless steel bowl for 3.6lt Cutter Mixer PNC 650235 ☐
- Scraper for 3.6lt Cutter Mixer bowl PNC 650236 ☐
- Transparent bowl for 2,6lt cutter mixer, microtoothed rotor, lid with scraper PNC 650245 ☐
- Transparent lid for 3,6lt Cutter Mixer bowl with sealing and scraper PNC 653862 ☐
- Stainless steel bowl for 3,6lt Cutter Mixer, microtoothed rotor, sealed lid with scraper PNC 653864 ☐

## Food Processor TrinityPro Cutter Mixer 3,6 Lt with sealed lid - Variable Speed

Front




Side



EI = Electrical inlet (power)

Top



### Electric

|                       |                          |
|-----------------------|--------------------------|
| Supply voltage:       | 220-240 V/1N ph/50/60 Hz |
| Electrical power max: | 0.75 kW                  |
| Total Watts:          | 0.75 kW                  |

### Capacity:

Performance (up to):

|           |            |
|-----------|------------|
| Capacity: | 3.6 litres |
|-----------|------------|

### Key Information:

|                                  |        |
|----------------------------------|--------|
| External dimensions, Width:      | 585 mm |
| External dimensions, Depth:      | 334 mm |
| External dimensions, Height:     | 476 mm |
| Shipping weight:                 | 17 kg  |
| Meat mincing capacity:           | 0 kg   |
| Mayonnaise preparation capacity: | 0 kg   |
| Pastry preparation capacity:     | 0 kg   |