

Coffee System TANGO DUO ST, 2 groups full-automatic machine with Cappuccinatore, Steamair

TEM #	
10DEL #	
IAME #	
ilS #	
AIA #	



602551 (TANGOST2SA)

Full-automatic machine, 2 groups, 440x40 ml espresso cup/hr, 2x6,5 liter steam/coffee boiler, 2x1,7 kg coffee hopper, programmable water, Steamair, 1 Tango Cappuccinatore device with double function L: for hot milk and C: for foam by air injection

Short Form Specification

Item No.

The super automatic coffee machine Tango® ST Duo has two separate 7" screens to control the patented TANGO® double group head with its international recognized reliability.

This high-end full automatic espresso coffee machine is able to create and compose a choice of 96 drinks menu, and delivers 4 drinks simultaneously: the Tango* ST Duo is the unique machine of the automatic machines market offering such level of performance with the warranty of an exceptional extraction quality.

With a minimum 60cm width for a 2 groups super automatic coffee machine, the Tango* ST Duo is the ideal unit for businesses aiming to automatically transform coffee and fresh milk into a variety of espresso coffee beverages.

Delivery Capacity : Espresso 40ml : 440 cups/h Lungo 100ml : 300 cups/h Hot Water : 56 L/h

Cappuccino 100ml: 240 cups/h Latte100ml: 180 cups/h

Main Features

- 2 coffee grinders (2 x 1,7 kg coffee hoppers).
- 1 x Tango Cappuccinatore device with double feature L: for hot milk and C: for foam by air injection.
- 2 groups full-automatic machine
- 2 x 6.5 liter steam/coffee boiler.
- Programmable hot water.
- Steamair milk auto-frother programmable outlet.
- The machine is able to create and compose a choice of 96 drinks menu and delivers 4 drinks simultaneously: the Tango® ST Duo is the unique machine of the automatic machines market offering such level of performance with the warranty of an exceptional extraction quality.
- The super automatic coffee machine Tango® ST Duo has two separate 7" screens to control the patented TANGO® double group head with its international recognized reliability.
- With a minimum 60cm width for a 2 groups super automatic coffee machine, the Tango® ST Duo is the ideal unit for businesses aiming to automatically transform coffee and fresh milk into a variety of espresso coffee beverages.
- Delivery Capacity: Espresso 40ml: 440 cups/h Lungo 100ml: 300 cups/h Hot Water: 56 L/h Cappuccino 100ml: 240 cups/h Latte 100ml: 180 cups/h
- To obtain milk based beverages, the side milk refrigerator is needed.

Construction

- LCD Touchscreen.
- LED lights on body.
- PID (proportional-integral-derivative) Temperature control: a precise controller algorithm system that gives consistency and accuracy to brewing temperature management system.


Optional Accessories

 Mixed hot water outlet for TANGO STI and STP 	PNC 871020	
• TANGO hotel/breakfast service kit	PNC 871022	
• Coffee ground direct discharge chute	PNC 871023	
Side milk refrigerator for up to 9 liter milk containers for TANGO ST	PNC 871024	
Raised feet kit	PNC 871041	

APPROVAL:







Coffee System
TANGO DUO ST, 2 groups full-automatic machine with Cappuccinatore,
Steamair
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.



Coffee System TANGO DUO ST, 2 groups full-automatic machine with Cappuccinatore, Steamair

Electric

Supply voltage: 400 V/3N ph/50 Hz

Electrical power, max: 5.2 kW

Plug type: Cable without plug

Water:

Cold water temperature

5 / 60 °C (min/max):

Key Information:

Net weight: 130 kg 0.69 m³ Shipping volume:

Sustainability

Current consumption: 7.5 Amps

