



## Coffee System Classic Traditional espresso machine, 2 groups, 10,1 liter boiler



602633 (CLASSIC2)

Traditional Espresso Machine, 2 groups, 10,1 liter boiler, 2 independent control boxes with 4 programmable dosing program, manual water & steam, automatic cleaning cycle, stainless steel body, 230V/1N/50Hz

602634 (CLASSIC2)

Traditional Espresso Machine, 2 groups, 10,1 liter boiler, 2 independent control boxes with 4 programmable dosing program, manual water & steam, automatic cleaning cycle, stainless steel body, 400V/3N/50

### Short Form Specification

#### Item No.

Traditional 2 groups espresso machine with large steam boiler. Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. Designed for rugged commercial application, the CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, consistency and high performance during rush period.

ITEM # \_\_\_\_\_  
MODEL # \_\_\_\_\_  
NAME # \_\_\_\_\_  
SIS # \_\_\_\_\_  
AIA # \_\_\_\_\_

### Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- With its easy operation and serviceability, the Classic offers technical features ensuring outstanding coffee throughout the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicability, and unlimited steam.
- 2 stainless steel Steam arms / 2 Steam switches on, off and pulse positions.
- Single boiler: 1 Large copper boiler with Heat exchanger technology with 330ml internal boiler.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.

### Construction

- Stainless steel body.
- 2 groups - 10.1 liter boiler.
- Built-in cup warmer.

### Included Accessories

- 1 of Filter holder for one cup PNC 871002
- 2 of Filter holder for two cups PNC 871003


### Optional Accessories

• Filter holder for one cup	PNC 871002	<input type="checkbox"/>
• Filter holder for two cups	PNC 871003	<input type="checkbox"/>
• Filter holder for three cups	PNC 871004	<input type="checkbox"/>
• Knock box drawer for 2-group machines	PNC 871006	<input type="checkbox"/>
• Knock box drawer for 3-group machines	PNC 871007	<input type="checkbox"/>
• Filter for one cup, 12 gr	PNC 871017	<input type="checkbox"/>
• Filter for two cups, 18 gr	PNC 871018	<input type="checkbox"/>
• Stainless steel knock box drawer	PNC 871019	<input type="checkbox"/>
• Raised feet kit	PNC 871041	<input type="checkbox"/>

APPROVAL: \_\_\_\_\_



Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)



**Electric****Supply voltage:**

602633 (CLASSIC2) 230 V/1N ph/50 Hz  
602634 (CLASSIC2) 400 V/3N ph/50 Hz

**Electrical power, max:**

602633 (CLASSIC2) 3 kW  
602634 (CLASSIC2) 4.7 kW

**Plug type:** Cable without plug

**Water:**

**Cold water temperature (min/max):** 5 / 60 °C

**Key Information:**

**Net weight:** 55 kg

**Shipping volume:**  
602633 (CLASSIC2) 0.71 m<sup>3</sup>  
602634 (CLASSIC2) 0.69 m<sup>3</sup>

**Sustainability****Current consumption:**

602633 (CLASSIC2) 13 Amps  
602634 (CLASSIC2) 7.2 Amps

