# **Electrolux**

# **Coffee System** TANGO SOLO ST, 1 group fullautomatic machine



604041 (ST120CE40052K)

Full-automatic machine, 1 group, 270x40 ml espresso cup/hr, 6,5 liter steam/coffee boiler, 1x1,7 kg and 1x1,2 kg coffee hopper, programmable water and steam

# **Short Form Specification**

#### Item No.

The super automatic coffee machine Tango® ST Solo takes up a 7" color touch screen user interface to control intuitively the TANGO® group head recognized for its exceptional coffee extraction quality.

This high-end full automatic espresso coffee machine is able to create and compose a choice of 48 drinks menu, and delivers 2 drinks simultaneously operating water and steam: It impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.

Delivery Capacity : Espresso 40ml : 270 cups/h Lungo 100ml : 180 cups/h Hot Water : 36 L/h

ITEM #	
MODEL #	
NAME #	
<u>SIS #</u>	
<u>AIA #</u>	

### Main Features

- 1 group full-automatic machine.
- Auto cleaning program.
- The super automatic coffee machine Tango® ST Solo takes up a 7" color touch screen user interface to control intuitively the TANGO<sup>®</sup> group head recognized for its exceptional coffee extraction quality. It aims to automatically transform coffee and fresh milk into a variety of espresso beverages.
- 6.5 liter steam/coffee boiler.
- Programmable water and steam.
- The machine is able to create and compose a choice of 48 drinks menu and delivers 2 drinks simultaneously operating water and steam: it impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.
- **Delivery Capacity:** Espresso 40ml: 270 cups/h Lungo 100ml: 180 cups/h Hot Water: 36 L/h

## Construction

- 2 coffee grinders (1 x 1,7 kg & 1 x 1,2 kg coffee hoppers).
- LCD Touchscreen.
- LED lights on body.
- PID (proportional-integral-derivative) Temperature control: a precise controller algorithm system that gives consistency and accuracy to brewing temperature management system.

#### Included Accessories

- 1 of Cleaning Tabs for Espresso PNC 0SPO27 Machines, 120 pieces
- 1 of Raised feet kit PNC 871041

#### **Optional Accessories**

- Cleaning Tabs for Espresso PNC 0SPO27 Machines, 120 pieces Mixed hot water outlet for PNC 871020
- TANGO ST1 and STP PNC 871022 TANGO hotel/breakfast service . kit
- PNC 871023 • Coffee ground direct discharge chute
- Raised feet kit PNC 871041

#### APPROVAL:



# Coffee System TANGO SOLO ST, 1 group fullautomatic machine

Coffee System TANGO SOLO ST, 1 group full-automatic machine

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



Electric	
Supply voltage: Electrical power, max: Plug type:	400 V/3N ph/50 Hz 5.2 kW Cable without plug
Water:	
Cold water temperature (min/max):	5 / 60 °C
Key Information:	
Net weight: Shipping volume:	100 kg 0.69 m³
Sustainability	
Current consumption:	7.5 Amps



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.