

### Coffee System TANGO SOLO ST, 1 group fullautomatic machine



#### 604041 (ST120CE40052K)

Full-automatic machine, 1 group, 270x40 ml espresso cup/hr, 6,5 liter steam/coffee boiler, 1x1,7 kg and 1x1,2 kg coffee hopper, programmable water and steam

### **Short Form Specification**

#### Item No.

The super automatic coffee machine Tango® ST Solo takes up a 7" color touch screen user interface to control intuitively the TANGO® group head recognized for its exceptional coffee extraction quality.

This high-end full automatic espresso coffee machine is able to create and compose a choice of 48 drinks menu, and delivers 2 drinks simultaneously operating water and steam: It impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.

Delivery Capacity: Espresso 40ml: 270 cups/h Lungo 100ml: 180 cups/h

Hot Water : 36 L/h

#### **Main Features**

- 1 group full-automatic machine.
- Auto cleaning program.
- The super automatic coffee machine Tango® ST Solo takes up a 7" color touch screen user interface to control intuitively the TANGO® group head recognized for its exceptional coffee extraction quality. It aims to automatically transform coffee and fresh milk into a variety of espresso beverages.
- 6.5 liter steam/coffee boiler.
- Programmable water and steam.
- The machine is able to create and compose a choice of 48 drinks menu and delivers 2 drinks simultaneously operating water and steam: it impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.

 Delivery Capacity: Espresso 40ml: 270 cups/h Lungo 100ml: 180 cups/h Hot Water: 36 L/h

#### Construction

- 2 coffee grinders (1 x 1,7 kg & 1 x 1,2 kg coffee hoppers).
- LCD Touchscreen.
- LED lights on body.

· Raised feet kit

 PID (proportional-integral-derivative) Temperature control: a precise controller algorithm system that gives consistency and accuracy to brewing temperature management system.

• 1 of Cleaning Tabs for Espresso PNC 0SPO27

#### **Included Accessories**

| Machines, 120 pieces  • 1 of Raised feet kit                            | PNC 871041   |
|---|--------------|
| Optional Accessories  |              |
| <ul> <li>Cleaning Tabs for Espresso<br/>Machines, 120 pieces</li> </ul> | PNC 0SPO27 🗖 |
| <ul> <li>Mixed hot water outlet for<br/>TANGO STI and STP</li> </ul>    | PNC 871020 🗖 |
| • TANGO hotel/breakfast service kit                                     | PNC 871022 🗖 |
| • Coffee ground direct discharge chute                                  | PNC 871023 🗖 |

PNC 871041 🔲

#### APPROVAL:





# Coffee System TANGO SOLO ST, 1 group full-automatic machine

| <br> |  |
|------|--|

Coffee System TANGO SOLO ST, 1 group full-automatic machine



## Coffee System TANGO SOLO ST, 1 group full-automatic machine

**Electric** 

Supply voltage: 400 V/3N ph/50 Hz

Electrical power, max: 5.2 kW

Plug type: Cable without plug

Water:

Cold water temperature

(min/max): 5 / 60 °C

**Key Information:** 

Net weight: 100 kg Shipping volume: 0.69 m³

Sustainability

Current consumption: 7.5 Amps

