



Electrolux
PROFESSIONAL

Coffee System
TANGO SOLO ST, 1 group full-
automatic machine, Steamair

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



604042 (ST120CE40052KSA) Full-automatic machine, 1 group, 270x40 ml espresso cup/hr, 6,5 liter steam/coffee boiler, 1x1,7 kg and 1x1,2 kg coffee hopper, programmable water, Steamair

Short Form Specification

Item No. _____

The super automatic coffee machine Tango® ST Solo takes up a 7" color touch screen user interface to control intuitively the TANGO® group head recognized for its exceptional coffee extraction quality.

This high-end full automatic espresso coffee machine is able to create and compose a choice of 48 drinks menu, and delivers 2 drinks simultaneously operating water and steam: It impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.

Delivery Capacity :
Espresso 40ml : 270 cups/h
Lungo 100ml : 180 cups/h
Hot Water : 36 L/h

Main Features

- The super automatic coffee machine Tango® ST Solo takes up a 7" color touch screen user interface to control intuitively the TANGO® group head recognized for its exceptional coffee extraction quality. It aims to automatically transform coffee and fresh milk into a variety of espresso beverages.
- 1 group full-automatic machine.
- 6,5 liter steam/coffee boiler.
- Auto cleaning program.
- Programmable hot water.
- Steamair milk auto-frother programmable outlet.
- The machine is able to create and compose a choice of 48 drinks menu and delivers 2 drinks simultaneously operating water and steam: it impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.
- Delivery Capacity:
Espresso 40ml: 270 cups/h
Lungo 100ml: 180 cups/h
Hot Water: 36 L/h

Construction

- 2 coffee grinders (1 x 1,7 kg & 1 x 1,2 kg coffee hoppers).
- LCD Touchscreen.
- LED lights on body.
- PID (proportional-integral-derivative) Temperature control: a precise controller algorithm system that gives consistency and accuracy to brewing temperature management system.

Included Accessories

- 1 of Cleaning Tabs for Espresso Machines, 120 pieces PNC 0SPO27
- 1 of Raised feet kit PNC 871041

Optional Accessories

- Cleaning Tabs for Espresso Machines, 120 pieces PNC 0SPO27 ☐
- Milk Frother Cleaner, 1 lt PNC 0SPO29 ☐
- Mixed hot water outlet for TANGO ST1 and STP PNC 871020 ☐
- TANGO hotel/breakfast service kit PNC 871022 ☐
- Coffee ground direct discharge chute PNC 871023 ☐
- Raised feet kit PNC 871041 ☐

APPROVAL: _____




Experience the Excellence
www.electroluxprofessional.com



Electrolux
PROFESSIONAL

Coffee System
TANGO SOLO ST, 1 group full-
automatic machine, Steamair



Coffee System
TANGO SOLO ST, 1 group full-automatic machine, Steamair
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2025.11.26



Electrolux
PROFESSIONAL

Coffee System
TANGO SOLO ST, 1 group full-
automatic machine, Steamair

Electric

Supply voltage: 400 V/3N ph/50 Hz
Electrical power, max: 5.2 kW
Plug type: Cable without plug

Water:

Cold water temperature
(min/max): 5 / 60 °C

Key Information:

Net weight: 100 kg
Shipping volume: 0.69 m³

Sustainability

Current consumption: 7.5 Amps



Coffee System
TANGO SOLO ST, 1 group full-automatic machine, Steamair
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2025.11.26