

Coffee System TANGO STP SOLO, 1 group fullautomatic machine

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



604044 (ST12PCE40052K)

Full-automatic machine, 1 group, 270x40 ml espresso cup/hr, 6,5 liter steam/coffee boiler, 1x1,7 kg and 1x1,2 kg coffee hopper

Short Form Specification

Item No.

The super automatic coffee machine Tango® STP Solo is the ideal equipment for the businesses as bars, coffee shops chains, and the hospitality industry for self-service breakfast, as well as company cafeteria. With its unrivaled coffee extraction quality, the Tango® STP with the new milk delivery system, offers the perfect equipment to ease and succeed in the preparation of all milk based specialty coffee drinks, with heated or cold milk or foamed milk with a smooth texture.

The additional milk refrigerator Tango® STP Fridge, to be ordered separately, has a full compressor system which consistently maintains cold milk temperatures, with a 4L removable container. Cleaning and maintaining the milk circuit is automatically done thanks to its efficient rinsing and cleaning program.

Distributing, heating and foaming fresh milk to create delicious hot or cold drinks with milk or foamed milk: that's the challenge met by the super automatic Tango® STP Solo with efficiency and performance.

Main Features

- 1 group full-automatic machine.
- 6.5 liter steam/coffee boiler.
- Auto cleaning program.
- Distributing, heating and foaming fresh milk to create delicious hot or cold drinks with milk or foamed milk: that's the challenge met by the super automatic Tango® STP Solo with efficiency and performance.
- Exclusive Pump System for Cold & Hot Milk with foam pump technology.
- Programmable water and steam.
- The additional milk refrigerator Tango® STP Fridge, to be ordered separately, has a full compressor system which consistently maintains cold milk temperatures, with a 4L removable container. Cleaning and maintaining the milk circuit is automatically done thanks to its efficient rinsing and cleaning program.
- The super automatic coffee machine Tango® STP Solo is the ideal equipment for the businesses as bars, coffee shops chains, and the hospitality industry for self-service breakfast, as well as company cafeteria.
- With its unrivaled coffee extraction quality, the Tango® STP with the new milk delivery system, offers the perfect equipment to ease and succeed in the preparation of all milk based specialty coffee drinks, with heated or cold milk or foamed milk with a smooth texture.

Construction

- 2 coffee grinders (1 x 1,7 kg & 1 x 1,2 kg coffee hoppers).
- LCD Touchscreen.

chute

- LED lights on body.
- PID (proportional-integral-derivative) Temperature control: a precise controller algorithm system that gives consistency and accuracy to brewing temperature management system.

Included Accessories

I of Cleaning Tabs for Espresso Machines, 120 pieces	PNC 0SPO27
• 1 of Milk Frother Cleaner, 1 lt	PNC 0SPO29
• 1 of Raised feet kit	PNC 871041
Optional Accessories	
 Cleaning Tabs for Espresso Machines, 120 pieces 	PNC 0SPO27
 Milk Frother Cleaner, 1 It 	PNC 0SPO29 🗆
 Mixed hot water outlet for TANGO STI and STP 	PNC 871020 🗖
• TANGO hotel/breakfast service kit	PNC 871022 🗖

Coffee ground direct discharge PNC 871023 □

APPROVAL:





Coffee System TANGO STP SOLO, 1 group full-automatic machine

•	Side milk refrigerator with exclusive
	pump system integrated with 9 liter
	capacity for TANGO STP

PNC 871025 🔲

• Raised feet kit

PNC 871041 📮



Coffee System TANGO STP SOLO, 1 group full-automatic machine

Electric		
Supply voltage: Electrical power, max: Plug type:	400 V/3N ph/50 Hz 5.2 kW Cable without plug	
Water:		
Cold water temperature (min/max):	5 / 60 °C	
Key Information:		
Net weight: Shipping volume:	102 kg 0.69 m³	
Sustainability		
Current consumption:	7.5 Amps	

