

ITEM #		
MODEL #		
		_
NAME #		
SIS #		
AIA #		



371237 (E7GRGDGCFU)

Half module gas Grill free standing

Short Form Specification

Item No.

To be installed on height adjustable feet in stainless steel. High efficiency 8 kW stainless steel gas burners with flame failure device, protected by deflection trays. Suitable for natural gas or LPG. Cooking surface grids in enameled cast iron, easily removable for cleaning. Exterior panels in stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick stainless steel. Right-angled side edges to allow flush-fitting junction between units.

Main Features

- Stainless steel burners with flame failure device.
- Burners are protected by deflection trays to prevent fat dripping on them.
- Stainless steel high splash guard on the rear and sides can be easily removed for cleaning and is dishwasher-safe.
- Unit delivered with four 50 mm legs in stainless steel as standard (all round Stainless steel kick plates as option).
- The low temperature of the external panels allow to work in safety.
- Cooking grids made in highly resistant enameled cast iron for easy cleaning.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- IPx4 water protection.

APPROVAL:





Included Accessories

• 1 of Scraper for free standing grills PNC 206422

Optional Accessories


Optional Accessories		
 Junction sealing kit 	PNC 206086	
 Draught diverter, 120 mm diameter 	PNC 206126	
Matching ring for flue condenser, 120 mm diameter	PNC 206127	
 Kit 4 wheels - 2 swivelling with brake it is mandatory to install Base support and wheels 	PNC 206135	
Flanged feet kit	PNC 206136	
Frontal kicking strip for concrete	PNC 206147	
installation, 400mm	FINC 200147	_
Frontal kicking strip for concrete installation, 800mm	PNC 206148	
Frontal kicking strip for concrete installation, 1000mm	PNC 206150	
Frontal kicking strip for concrete installation, 1200mm	PNC 206151	
Frontal kicking strip for concrete installation, 1600mm	PNC 206152	
 Frontal kicking strip, 400mm (not for refr-freezer base) 	PNC 206175	
 Frontal kicking strip, 800mm (not for refr-freezer base) 	PNC 206176	
• Frontal kicking strip, 1000mm (not for refr-freezer base)	PNC 206177	
• Frontal kicking strip, 1200mm (not for refr-freezer base)	PNC 206178	
• Frontal kicking strip, 1600mm (not for refr-freezer base)	PNC 206179	
 Kit 4 feet for concrete installation (not for 900 line free standing grill) 	PNC 206210	
 Pair of side kicking strips 	PNC 206249	
 Pair of side kicking strips for concrete installation 	PNC 206265	
 Chimney upstand, 400mm 	PNC 206303	
Right and left side handrails	PNC 206307	
Back handrail 800 mm	PNC 206308	
Flue condenser for 1/2 module, 120 mm diameter	PNC 206310	
 Base support for feet or wheels - 400mm (700/900) 	PNC 206366	
 Base support for feet or wheels - 800mm (700/900) 	PNC 206367	
 Base support for feet or wheels - 1200mm (700/900) 	PNC 206368	
 Base support for feet or wheels - 1600mm (700/900) 	PNC 206369	
 Base support for feet or wheels - 2000mm (700/900) 	PNC 206370	
• Rear paneling - 600mm (700/900XP)	PNC 206373	
 Rear paneling - 800mm (700/900) 	PNC 206374	
 Rear paneling - 1000mm (700/900) 	PNC 206375	
• Rear paneling - 1200mm (700/900)	PNC 206376	
 4 wheels, 2 swivelling with brake 	PNC 206382	
(700/900). It is mandatory to install with base supports for feet/wheels UK	1 INC 200302	_
Kit town gas nozzles (G150) for 700	PNC 206389	
grill		_



• Stainless steel grids for free standing wide grills (700XP)	PNC 206414	
 Stainless steel grids with drain shape for free standing wide top grills (700XP) 	PNC 206415	
 Scraper for grids with drainage channels - top grills 	PNC 206421	
 Scraper for free standing grills 	PNC 206422	
 Base support for feet or wheels - 600mm (700/900) 	PNC 206431	
 Kit G.25.3 (NI) gas nozzles for 700 and 900 gas grills (standard and HP) 	PNC 206462	
 2 side covering panels for free standing appliances 	PNC 216000	
• Frontal handrail, 400mm	PNC 216046	
• Frontal handrail, 800mm	PNC 216047	
• Frontal handrail, 1200mm	PNC 216049	
• Frontal handrail, 1600mm	PNC 216050	
 Large handrail - portioning shelf, 400mm 	PNC 216185	
 Large handrail - portioning shelf, 800mm 	PNC 216186	
• Pressure regulator for gas units	PNC 927225	







Modular Cooking Range Line 700XP Half Module Freestanding Gas Char-Grill



Gas

Gas Power: 8 kW

Natural Gas G20 (20mbar)

Standard gas delivery: (20mbar)
Gas Type Option: LPG;Town
Gas Inlet: 3/4"

Key Information:

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

Net weight: 40 kg Shipping weight: 57 kg Shipping height: 1180 mm Shipping width: 460 mm Shipping depth: 810 mm Shipping volume: 0.44 m³ Certification group: N7GG Cooking surface width: 316 mm Cooking surface depth: 478 mm

