# Electrolux PROFESSIONAL

Modular Cooking Range Line 700XP 4-Hot Square Plates Electric Boiling Top Electric Oven - Marine



371150 (E7ECMH4QE5)

4-Hot Square Plate (2,6 kW each) electric Range on electric Oven (6 kW) marine

## **Short Form Specification**

#### Item No.

To be installed on stainless steel feet with height adjustment up to 50 mm. Four 2.6 kW square cast-iron hot plates hermetically sealed to the one-piece top. Stainless steel oven chamber with 3 levels of runners to accomodate 2/1 GN shelves (2 steam pans). Ribbed oven base plate. Exterior panels in stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick stainless steel. Right-angled side edges to allow flush-fitting junction between units.

#### APPROVAL:

| ITEM #  |  |
|---------|--|
| MODEL # |  |
| NAME #  |  |
| SIS #   |  |
| AIA #   |  |

### **Main Features**

- The four 2.6kW cast-iron square plates are hermtically sealed to the one-piece top.
- Base compartment consists of an electric standard oven with thick oven door for heat insulation, positioned beneath the base plate.
- Electric oven to have separate thermostats for top and bottom heating elements.
- Stainless steel oven chamber with 3 levels of runners to accomodate 2/1 GN shelves (2 steam pans).
- Ribbed enamelled steel oven base plate.
- The special design of the control knob system guarantees against water infiltration.
- IPx4 water protection.
- Oven thermostat adjustable from 100 °C to 300 °C.

### Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.

#### **Included Accessories**

• 1 of GN2/1 chrome grid for static PNC 164250 oven

#### **Optional Accessories**

- GN2/1 chrome grid for static PNC 164250 🗅 oven
- Junction sealing kit PNC 206086 🗅
- Kit 4 wheels 2 swivelling with brake - it is mandatory to install Base support and wheels
- Flanged feet kit PNC 206136 🗆
- Frontal kicking strip for concrete PNC 206148 installation, 800mm
- Frontal kicking strip for concrete PNC 206151 🗅 installation, 1200mm
- Frontal kicking strip for concrete PNC 206152 installation, 1600mm
- 2 cast iron plate bars for electric PNC 206168 🗅 cooking top
- Frontal kicking strip, 800mm (not PNC 206176 D for refr-freezer base)
- Frontal kicking strip, 1000mm (not PNC 206177 for refr-freezer base)
- Frontal kicking strip, 1200mm (not PNC 206178 for refr-freezer base)
- Frontal kicking strip, 1600mm (not PNC 206179 D) for refr-freezer base)




| <ul> <li>Kit 4 feet for concrete installation<br/>(not for 900 line free standing grill)</li> </ul> | PNC 206210 |  |
|-----------------------------------------------------------------------------------------------------|------------|--|
| Pair of side kicking strips                                                                         | PNC 206249 |  |
| Pair of side kicking strips for concrete installation                                               | PNC 206265 |  |
| • Water column with swivel arm (water column extension not included)                                | PNC 206289 |  |
| • Water column extension for 700 line                                                               | PNC 206291 |  |
| <ul> <li>Right and left side handrails</li> </ul>                                                   | PNC 206307 |  |
| <ul> <li>Back handrail 800 mm</li> </ul>                                                            | PNC 206308 |  |
| <ul> <li>Base support for feet or wheels -<br/>800mm (700/900)</li> </ul>                           | PNC 206367 |  |
| <ul> <li>Base support for feet or wheels -<br/>1200mm (700/900)</li> </ul>                          | PNC 206368 |  |
| <ul> <li>Base support for feet or wheels -<br/>1600mm (700/900)</li> </ul>                          | PNC 206369 |  |
| <ul> <li>Base support for feet or wheels -<br/>2000mm (700/900)</li> </ul>                          | PNC 206370 |  |
| • Rear paneling - 800mm (700/900)                                                                   | PNC 206374 |  |
| • Rear paneling - 1000mm (700/900)                                                                  | PNC 206375 |  |
| • Rear paneling - 1200mm (700/900)                                                                  | PNC 206376 |  |
| <ul> <li>Chimney grid net, 400mm<br/>(700XP/900)</li> </ul>                                         | PNC 206400 |  |
| <ul> <li>2 side covering panels for free<br/>standing appliances</li> </ul>                         | PNC 216000 |  |
| <ul> <li>Frontal handrail, 800mm</li> </ul>                                                         | PNC 216047 |  |
| <ul> <li>Frontal handrail, 1200mm</li> </ul>                                                        | PNC 216049 |  |
| <ul> <li>Frontal handrail, 1600mm</li> </ul>                                                        | PNC 216050 |  |
| <ul> <li>Large handrail - portioning shelf,<br/>800mm</li> </ul>                                    | PNC 216186 |  |
| <ul> <li>Full size basket (220x350x240) for<br/>pasta cookers - 700XP and<br/>EMPower</li> </ul>    | PNC 921611 |  |



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

# Electrolux PROFESSIONAL

## Modular Cooking Range Line 700XP 4-Hot Square Plates Electric Boiling Top Electric Oven - Marine



CE

DNV-GL

| Electric                                                                                                                                                                                                                                                             |                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Supply voltage:<br>371150 (E7ECMH4QE5)<br>Electrical power max.:                                                                                                                                                                                                     | 400 V/3 ph/50/60 Hz<br>16.4 kW                                                                                                     |
| Key Information:                                                                                                                                                                                                                                                     |                                                                                                                                    |
| Front Plates Power:<br>Back Plates Power:<br>Front Plates dimensions:<br>Back Plates dimensions:<br>Oven Heat Input:<br>Oven working Temperature:<br>Oven Cavity Dimensions<br>(width):<br>Oven Cavity Dimensions<br>(height):<br>Oven Cavity Dimensions<br>(depth): | 2.6 - 2.6 kW<br>2.6 - 2.6 kW<br>230x230 230x230<br>230x230 230x230<br>6 kW<br>100 °C MIN; 300 °C MAX<br>540 mm<br>300 mm<br>650 mm |
| External dimensions, Width:                                                                                                                                                                                                                                          | 800 mm                                                                                                                             |
| External dimensions, Depth:<br>External dimensions, Height:                                                                                                                                                                                                          | 730 mm<br>850 mm                                                                                                                   |
| Net weight:                                                                                                                                                                                                                                                          | 80 kg                                                                                                                              |
| Certification group:                                                                                                                                                                                                                                                 | N7CE1                                                                                                                              |
| Waterproof index:                                                                                                                                                                                                                                                    | IPX4                                                                                                                               |

Modular Cooking Range Line 700XP 4-Hot Square Plates Electric Boiling Top Electric Oven - Marine

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.