

lce Makers Ice Cuber (22gr), 83kg/24h, 35kg bin, air-cooled



ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

Main Features

- The ice making method guarantees a continuous and reliable production.
- Easy cleanability guaranteed by an automatic system: the cleaning switch activate the circulation and the rinse of water; at the end of the cycle just swithed again to start producing ice.
- The innovative anti-scale spray system with flexible nozzles avoids limescale deposits through small vibrations.
- The ice-making method (spray layering) guarantees crystalline, compact, hygienically pure ice cubes that are resistant to melting.
- Water consumption and productivity calculated using 15°C water temperature and 21°C ambient temperature.
- Compact dimensions of the ice cubers make them highly suitable for any location, particularly those where space is at a premium.
- Ice cube cone shape.
- Fully automatic in operation.
- Rounded internal corners of the bin assure ease of cleaning.
- Food grade ABS interior.
- Suitable for gravity drain only.
- Bin included.
- Compliant to CE requirements for safety.

Construction

- Reliability guaranteed by the quality of the construction materials used (front, top and sides in 304 AISI stainless steel) and the sophisticated product and process technology involved.
- The sprayers are easy to take away, permit a simple flowing and prevent limestone formation.
- AISI 304 stainless steel exterior.
- Aluminium evaporator ensures a safe contact with ice.
- Sturdy door opening system made in AISI 304 stainless steel.
- Internal ice containers in ABS.
- Hygienical plastic spray arms removable without the use of tools.
- Supplied with flexible water supply, drain hoses and scoop.
- Easy access to the main components for maintenance.
- ON-OFF rocker switch.
- Adjustable 105-155mm feet.
- Plug as standard (schuko type).

APPROVAL:



Sustainability



- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) CFC and HCFC free.
- Reduced energy consumption by fully insulated storage bin.


Optional Accessories

• Drain pump kit

PNC 880690

Electrolux PROFESSIONAL





Electric	
Supply voltage: 730306 (ICB83I35SNP) Electrical power max.:	220-240 V/1N ph/50 Hz 0.68 kW
Capacity:	
Bin capacity:	35 kg
Key Information:	
External dimensions, Width: External dimensions, Depth: External dimensions, Height: Net weight: Output: Kind of cube:	715 mm 595 mm 1044 mm 70 kg 83 kg/day Ice Cube 22 g
Sustainability	
Refrigerant type: Refrigerant weight: Water consumption:	R290 135 g 10.5 lt/hr

lce Makers Ice Cuber (22gr), 83kg/24h, 35kg bin, air-cooled

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.