

Ice Makers Ice Cuber (22gr), 32kg/24h, 15kg bin, air-cooled - drain pump



| ITEM # | - |
|---------|---|
| MODEL # | _ |
| NAME # | _ |
| SIS # | _ |
| AIA # | - |

Main Features

- Easy cleanability guaranteed by an automatic system: the cleaning switch activate the circulation and the rinse of water; at the end of the cycle just swithed again to start producing ice.
- The ice making method guarantees a continuous and reliable production.
- The ice-making method (spray layering) guarantees crystalline, compact, hygienically pure ice cubes that are resistant to melting.
- Water consumption and productivity calculated using 15°C water temperature and 21°C ambient temperature.
- Compact dimensions of the ice cubers make them highly suitable for any location, particularly those where space is at a premium.
- Ice cube cone shape.
- Fully automatic in operation.
- Rounded internal corners of the bin assure ease of cleaning.
- Food grade ABS interior.
- Bin included.
- Compliant to CE requirements for safety.
- The innovative anti-scale spray system with flexible nozzles avoids limescale deposits through small vibrations.

Construction

- Reliability guaranteed by the quality of the construction materials used (front, top and sides in 304 AISI stainless steel) and the sophisticated product and process technology involved.
- The sprayers are easy to take away, permit a simple flowing and prevent limestone formation.
- AISI 304 stainless steel exterior.
- Aluminium evaporator ensures a safe contact with ice.
- Sturdy door opening system made in AISI 304 stainless steel.
- Internal ice containers in ABS.
- Hygienical plastic spray arms removable without the use of tools.
- Supplied with flexible water supply, drain hoses and scoop.
- Built-in drain pump.
- Easy access to the main components for maintenance.
- ON-OFF rocker switch.
- Plug as standard (schuko type).

APPROVAL:

Excellence



Sustainability




- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) CFC and HCFC free.
- Reduced energy consumption by fully insulated storage bin.

Optional Accessories

| Purity C 150 Quell ST system with flow meter | PNC 0S1628 | |
|--|------------|--|
| Purity C 300 Quell ST system with flow meter | PNC 0S1629 | |
| Drain pump kit | PNC 880690 | |

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Electrolux PROFESSIONAL



CE

Ice Makers Ice Cuber (22gr), 32kg/24h, 15kg bin, air-cooled - drain pump

| Electric | |
|---|---|
| Supply voltage: Electrical power, max: | 220-240 V/1N ph/50 Hz 0.34 kW |
| Capacity: | |
| Bin capacity: | 15 kg |
| Key Information: | |
| External dimensions, Width: External dimensions, Depth: External dimensions, Height: Net weight: Output: Kind of cube: | 405 mm 515 mm 757 mm 40 kg ISO 9001 kg/day Ice Cube 22 g |
| Sustainability | |
| Refrigerant type: Refrigerant weight: Water consumption: | R290 80 g 2.9 lt/hr |

lce Makers Ice Cuber (22gr), 32kg/24h, 15kg bin, air-cooled - drain pump

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.