

## Handling System for Rack Type Unloading Dishwshing Driven 180° Curve - Counterclockwise direction

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA#	



865252 (HSUC180CC)

Unloading curve Unit, 180°, Dishwasher driven, anticlockwise

## **Short Form Specification**

#### Item No.

Constructed in 304 AISI stainless steel. Basin with sloping bottom and drain. Feeding bar. It is driven by the dishwasher. Square 40x40mm tubular leg on height-adjustable feet. Designed for 500x500mm dishwashing baskets. Mounted delivery. Basket feed direction: counterclockwise. Adapted for connection to mobile roller conveyors.

#### **Main Features**

- Designed to transport 500x500 mm dishwashing baskets.
- "Key holes" and "snap on" system reduces the number of screws needed for fast and easy installation.
- The curve is driven by the dishwasher as the feeding arm in the curve will be connected with the conveyor of the dishwasher.
- Available counterclockwise direction for unloading area.
- 45° cut corner to reduce space usage.
- "Click-in" function to be easily combined with the mobile roller conveyor.
- Dishwasher's 180° driven curve is intended for installation between a rack type dishwasher and a mobile roller conveyor.

#### Construction


- Three legs included.
- Stainless steel feet 50 mm adjustable in height to align the operation height between the dishwasher and table.
- All surfaces smooth with polished finish.
- AISI 304 1,2mm stainless steel basin.
- 40x40mm stainless steel tubular and square legs.
- Sloping bottom of the table grants a smooth and rapid drainage.
- Thick welded flanges for sturdy connection between the units.

APPROVAL:





# Handling System for Rack Type Unloading Dishwshing Driven 180° Curve - Counterclockwise direction



### **Key Information:**

External dimensions, Width:

865252 (HSUC180CC) 1450 mm External dimensions, Depth: 850 mm External dimensions, Height: 910 mm Net weight: 38 kg Height adjustment: 50/50 mm Position to dishwasher: Unloading

Stainless Steel AISI 304 -EN 1.4301

Basin material: