# Electrolux PROFESSIONAL

Handling System for Rack Type Automatic Sorting Table, Dishwashing Driven with 5 Baskets - Left to Right, 2640mm

		<ul> <li>Main Features</li> <li>"Key holes" and "snap on" system reduces the number of screws needed for fast and easy installation.</li> <li>Designed to transport 500x500 mm dishwashing baskets.</li> <li>Stacking tables for 7 and 8 baskets on request.</li> <li>Optional extras: basin wash nozzles for cleaning the basin.</li> <li>Driven by the dishwasher.</li> </ul>
865463 (HSDDS5LR)	Automatic sorting table, Dishwasher driven, 5 baskets, Left>Right, 2940 mm	<ul> <li>Construction</li> <li>All surfaces smooth with polished finish.</li> <li>Thick welded flanges for sturdy connection between the units.</li> <li>Sloping bottom of the table grants a smooth and rapid drainage.</li> <li>Stainless steel strainer baskets easy to remove.</li> <li>Rack-guides inclined towards the basin.</li> <li>Double filter strainer installed on both sides allow the access from both directions.</li> <li>Double stainless steel strainer basket for easy operation.</li> <li>Constructed in AISI 304 stainless steel with square 40x40mm tubular construction feet and legs.</li> <li>Optional Accessories         <ul> <li>Pre-rinse unit (thermostatic mixer PNC 863136 and shower) to be mounted on</li> </ul> </li> </ul>
Short Form Specifi	cation	<ul> <li>overshelf</li> <li>Additional waste rack for PNC 863173 dishwasher driven and automatic sorting table</li> </ul>
bottom, drain with double inclined towards the sorting movement. Feeding bars ar square legs with height-ar 500x500mm dishwashing	nless steel. Basin with sloping strainer baskets. Rack-guides side. Dishwasher driven rack ad carriers. Square 40x40mm djustable feet. Designed for baskets. Attachment to the Basket feed direction: from left	<ul> <li>Soaking basin for cutlery rack including lifting device for dishwasher driven sorting table</li> <li>Automatic basin wash with timer for 5-basket sorting table</li> <li>Emergency stop kit for Rack Type Dishwasher (not for Basic handling system)</li> <li>Basket support for vertical stacking of baskets (to be used with overshelf)</li> <li>Pre-rinse unit (mixer and shower)</li> <li>Double overshelf for 5-basket sorting table, 2630 mm</li> <li>Overshelf for 5-basket sorting table, 2640 mm</li> <li>Tray slide fixing brackets (3pcs)</li> <li>Pre-wash spray unit, 1500 mm</li> <li>Tray slide for sorting table, 500 mm</li> <li>Tray slide for sorting table, 500 mm</li> <li>Tray slide with waste hole and rubber ring, 500 mm</li> </ul>
APPROVAL:		

ITEM #

SIS # AIA #

MODEL # NAME #

## Experience the Excellence www.electroluxprofessional.com




sorting table

•	Dish scraper	PNC 865447	
•	Water heating kit for wash basin	PNC 865449	
•	Foldable tray slide for 5-basket sorting table, 2640 mm	PNC 865456	
•	Retractable pre-rinse unit with fixed thermostatic water mixer, hose length, 14mm	PNC 865460	
•	Brackets to support baskets under the	PNC 865478	

## Electrolux PROFESSIONAL

### Handling System for Rack Type Automatic Sorting Table, Dishwashing Driven with 5 Baskets - Left to Right, 2640mm



### Key Information:

External dimensions, Width:865463 (HSDDS5LR)2940External dimensions, Depth:1110 mExternal dimensions, Height:910 mNet weight:64 kgHeight adjustment:50/50Basket movement:Left tPosition to dishwasher:LoadStainStainStainStain

2940 mm 1110 mm 910 mm 64 kg 50/50 mm Left to right Loading Stainless Steel AISI 304 -EN 1.4301

**Basin material**: