Electrolux PROFESSIONAL

Modular Cooking Range Line 900XP 800 mm Open Base 1 Module with flanged feet



391327 (E9BAMH00O00)

Open base cupboard, 1 module with flanged feet -Marine

Short Form Specification

Item No.

To be installed below other 900line top units in island type installations with operations from one side. Open base to store pots, pans, sheet pans etc. Body and internal structure of unit entirely in stainless steel. Delivered with stainless steel flanged feet.

ITEM #	
MODEL #	
NAME #	
<u>SIS #</u>	
AIA #	

Main Features

- Unit can be easily installed below other 900 line top models.
- Open base compartment for storage of pots, pans, sheet pans, etc.
- Doors with handles, drawers, heating kits and runners for GN containers can be ordered separately.

Construction

- Constructed in Stainless steel with Scotch Brite finish to meet the highest hygiene standards.
- Unit is 930 mm deep to give a larger working surface area.
- Supplied with flanged stainless steel feet.

APPROVAL:



Modular Cooking Range Line 900XP 800 mm Open Base 1 Module with flanged feet

Optional Accorrian


•	2 side covering panels for free
	standing appliances

Optional Accessories		
 Kit 4 wheels - 2 swivelling with brake - it is mandatory to install Base support and wheels 	PNC 206135	
• Flanged feet kit	PNC 206136	
• 2 supports runners for open base cupboard 400mm for GN1/1	PNC 206145	
 Frontal kicking strip for concrete installation, 800mm 	PNC 206148	
 Frontal kicking strip for concrete installation, 1000mm 	PNC 206150	
 Frontal kicking strip for concrete installation, 1200mm 	PNC 206151	
 Frontal kicking strip for concrete installation, 1600mm 	PNC 206152	
• Frontal kicking strip, 800mm (not for refr-freezer base)	PNC 206176	
 Frontal kicking strip, 1000mm (not for refr-freezer base) 	PNC 206177	
 Frontal kicking strip, 1200mm (not for refr-freezer base) 	PNC 206178	
 Frontal kicking strip, 1600mm (not for refr-freezer base) 	PNC 206179	
 Pair of side kicking strips (not for refr-freezer base) 	PNC 206180	
 2 panels for service duct for single installation 	PNC 206181	
• 2 panels for service duct for back to back installation	PNC 206202	
• Kit 4 feet for concrete installation (not for 900 line free standing grill)	PNC 206210	
• Central support for installation of drawers and grid (on 800/1200mm bases) and of doors (on 1200mm bases)	PNC 206245	
 Electric heating kit for cupboards 2 DRAWERS (H=100MM) BASE 900 LINE-OEM 	PNC 206259 PNC 206333	
• 2 drawers for open base cupboards, 100mm height	PNC 206334	
• 2 side covering panels, height 700 mm, depth 900 mm	PNC 206335	
 Door for open base cupboard 	PNC 206343	
 Door for open base cupboard 	PNC 206350	
• 2 DRAWERS (H=100MM) BASE 900 LINE-ZAN	PNC 206361	
 Base support for feet or wheels - 800mm (700/900) 	PNC 206367	
 Base support for feet or wheels - 1200mm (700/900) 	PNC 206368	
 Base support for feet or wheels - 1600mm (700/900) 	PNC 206369	
 Base support for feet or wheels - 2000mm (700/900) 	PNC 206370	
• Rear paneling - 800mm (700/900)	PNC 206374	
• Rear paneling - 1000mm (700/900)	PNC 206375	
• Rear paneling - 1200mm (700/900)	PNC 206376	

2024.12.05

Electrolux PROFESSIONAL

Modular Cooking Range Line 900XP 800 mm Open Base 1 Module with flanged feet



Key Information:

 External dimensions, Width:
 391327 (E9BAMH00O00)
 800 mm

 External dimensions, Depth:
 785 mm

 External dimensions, Height:
 600 mm

 Net weight:
 35 kg

CE

Modular Cooking Range Line 900XP 800 mm Open Base 1 Module with flanged feet

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.