

Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, 2 Speed



ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

Main Features

- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Delivered with:
- -automatic hopper
- -cutting chamber
- -ejector disc
- -smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation
- Continuous feed model, hopper capacity is 5/6 kg.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- High flexibility and ergonomy thanks to the available optional accessories.
- Long vegetable hopper (4 round hoppers with different size) available as optional accessory to better fit different type of vegetables/fruits.
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).

Construction


- Automatic hopper are made entirely in stainless steel for better durability.
- Long vegetable hopper, lever operated hopper and the smart trolley are made in stainless steel.
- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Wide range of optional stainless steel discs and grids (dishwasher safe) available.

Components

- 1 OF 600458 (TR210Y2V) Vegetable Slicer, automatic hopper, 2 speeds 340-680 rpm
 Shipping weight: 39 kg
- 1 OF 650065 (TTXTR210) Stainless steel trolley for TR210 with 1/1 GN tray rails (GN tray not included)
 Shipping weight: 37 kg



Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, 2 Speed





Electric			
Supply voltage: Electrical power max: Total Watts:	380-440 V/3 ph/50/60 0.75 kW 0.75 kW		
Capacity:			
Performance (up to):	2100 kg/hour		
Key Information:			
External dimensions, Width: External dimensions, Depth: External dimensions, Height: Shipping weight:	630 mm 770 mm 1250 mm		

Ηz



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.