

Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, 2 Speed

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



CC0H6A (TR210Y2VT)

Vegetable Slicer, automatic hopper, on stainless steel trolley, 2 speeds 340/680 rpm

Short Form Specification

Item No.

For medium catering facilities, up to 1000 meals per service, specially designed for slicing, grating, julienne and dicing. Stainless steel automatic feed hopper allows large scale preparations (up to 2100 kg/h).

Freestanding configuration thanks to the smart design trolley, which can host both the machine and the 2/1 GN tray to collect the cut vegetables

Parts in contact with food - stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Asynchronous industrial motor for heavy duty and longer life. Safety granted by magnetic micro switch which stops the machine if hopper is not correctly positioned.

Waterproof (IP55) control panel with "no volt release" safety device. Two-speed model (340 and 680 rpm).

Manual lever-operated hopper, long vegetable hopper available as optional accessories.

Main Features

- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Delivered with:
 - -automatic hopper
 - -cutting chamber
 - -ejector disc
 - -smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation
- Continuous feed model, hopper capacity is 5/6 kg.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- High flexibility and ergonomy thanks to the available optional accessories.
- Long vegetable hopper (4 round hoppers with different size) available as optional accessory to better fit different type of vegetables/fruits.
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).

Construction

- Automatic hopper are made entirely in stainless steel for better durability.
- Long vegetable hopper, lever operated hopper and the smart trolley are made in stainless steel.
- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Wide range of optional stainless steel discs and grids (dishwasher safe) available.

Optional Accessories

 Stainless steel pressing/slicing disc with S-blades 0,6 mm (can be used for slicing or combined

with grids)

Optional Accessories	
 Stainless steel trolley for TR210 with 1/1 GN tray rails (GN tray not included) 	PNC 650065 🗖
 Stainless steel shredding disc with S-blades 4x4 mm 	PNC 650077 🗅
 Stainless steel shredding disc with S-blades 6x6 mm (can also be used for French fries) 	PNC 650078 □
 Stainless steel shredding disc with S-blades 8x8 mm (can also be used for French fries) 	PNC 650079 🗖
 Stainless steel shredding disc with S-blades 10x10 mm (can also be used for French fries) 	PNC 650080 □

PNC 650081 🗆

APPROVAL:






Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, 2 Speed

•	Stainless steel pressing/slicing disc with S-blades 1 mm (can be used for slicing or combined with grids)	PNC 650082			Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids)	PNC 650160	
•	Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for	PNC 650083		•	Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for	PNC 650161	
•	slicing or combined with grids) Stainless steel pressing/slicing disc with S-blades 3 mm (can be used for	PNC 650084		•	slicing or combined with grids) Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can	PNC 650162	
	slicing or combined with grids)		_		be used for slicing or combined with		
•	Stainless steel pressing/slicing disc with S-blades 4 mm (can be used for slicing or combined with grids)	PNC 650085		•	grids) Stainless steel pressing/slicing disc with corrugated S-blades 10 mm (can	PNC 650164	
•	Stainless steel pressing/slicing disc with S-blades 5 mm (can be used for slicing or combined with grids)	PNC 650086			be used for slicing or combined with grids) Stainless steel pressing/slicing disc	PNC 650165	
•	Stainless steel pressing/slicing disc with S-blades 6 mm (can be used for	PNC 650087			with S-blades 13 mm (can be used for slicing or combined with grids)		
_	slicing or combined with grids)	PNC 650088		•	Stainless steel shredding disc with S- blades 2x2 mm	PNC 650166	
•	Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with grids)	FINC 030000	_	•	Stainless steel shredding disc with S- blades 3x3 mm	PNC 650167	
•	Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or combined with	PNC 650089			Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs)		
_	grids) Stainless steel pressing/slicing disc	PNC 650090			Dicing grid 5x5 mm	PNC 653566	
•	with corrugated S-blades 3 mm (can	FINC 030090			Dicing grid 8x8 mm	PNC 653567	
	be used for slicing or combined with				Dicing grid 10x10 mm	PNC 653568	
	grids)				Dicing grid 12x12 mm	PNC 653569	
•	Stainless steel pressing/slicing disc	PNC 650091			Dicing grid 20x20 mm	PNC 653570	
	with corrugated S-blades 6 mm (can be used for slicing or combined with				Grid for chips 6x6 mm	PNC 653571	
	grids)				Grid for chips 8x8 mm	PNC 653572	
•	Bistrot Pack-set stainless steel discs (2mm and 5mm slicing pressing disc, 2mm grating disc)	PNC 650092		•	Grid for chips 10x10 mm Support for 1 disc, diam. 175mm and 205mm	PNC 653573 PNC 653632	
•	Stainless steel lever-operated hopper	PNC 650094		•	Ejector disc	PNC 653772	
	for TR210 (no cutting chamber, no	1110 000071		•	Stainless steel grating disc 2 mm	PNC 653773	
	ejector)			•	Stainless steel grating disc 3 mm	PNC 653774	
•	Set of 3 stainless steel discs for Pizza	PNC 650107		•	Stainless steel grating disc 4 mm	PNC 653775	
	(2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc)			•	Stainless steel grating disc 7 mm	PNC 653776	
	Stainless steel long vegetable hopper	PNC 650109		•	Stainless steel grating disc 9 mm	PNC 653777	
·	with 4 tubes different sizes with pusher (no cutting chamber, no ejector) for	1140 030107			Stainless steel grating disc for knoedeln and bread	PNC 653778	_
	TR210				Stainless steel grating disc for	PNC 653779	
•	Cleaning tool for 5-8-10 mm dicing	PNC 650110			parmesan and bread Stainless steel automatic hopper for	PNC 653884	
•	grids Dicing kit 10x10x10mm, diam. 205mm (10mm aluminum slicing pressing disc,	PNC 650112			TR210 (no cutting chamber, no ejector), with agitator	PNC 055004	_
	10mm grid and grid cleaning tool)					Componer	าts
•	Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding	PNC 650113			•1 OF 600458 (TR210Y2V) Vegetable hopper, 2 spe - Shipping	eeds 340-680 r	
	disc, 10x10mm dicing grid) and grid cleaning tool	DNC /5011/			•1 OF 650065 (TTXTR210) Stainless stee with 1/1 GN tray rails (GN	tray nót includ	ed)
•	Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool	PNC 650114			- Shipping	weight: 3/	kg
•	Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115					
•	Aluminum pressing/slicing disc with straight blades 8 mm - for dicing	PNC 650116					
•	Stainless steel shredding disc with S-blades 2x8 mm	PNC 650158					
•	Stainless steel shredding disc with S-blades 2x10 mm	PNC 650159					







Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, 2 Speed

Electric

Supply voltage: 380-440 V/3 ph/50/60 Hz

Electrical power, max: 0.75 kW
Total Watts: 0.75 kW

Capacity:

Performance (up to): 2100 kg/hour

Key Information:

External dimensions, Width: 630 mm External dimensions, Depth: 770 mm External dimensions, Height: 1250 mm

Shipping weight:

