

**Ice Flaker**  
**Granular 510kg/24h with 350kg bin**  
**- Air cooled**

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_

**730212 (IFG510AB35)**Modular Ice Flaker, granular,  
510 kg/24h, 350kg stainless  
steel collection bin, air-  
cooled**Short Form Specification****Item No.** \_\_\_\_\_

External panelling completely in 304 AISI stainless steel. The ice-making method (crushing system) guarantees compact, hygienically pure crushed ice that is resistant to melting. R452A refrigerant. Air cooled. Container capacity Kg: 350

**Main Features**

- Compliant to CE requirements for safety.
- Food grade ABS interior.
- Fully automatic in operation.
- Suitable for gravity drain only.
- Rated output is at an ambient air temperature of 21°C and water supply temperature of 15°C.
- Model available in air-cooled version.
- Bin included.
- The ice-making method (crushing system) guarantees compact, hygienically pure crushed ice that is resistant to melting.


**Construction**

- Plug as standard (schuko type).
- AISI 304 stainless steel exterior.
- Supplied with flexible water supply and drain hoses.
- Stainless steel spray arms removable without the use of tools.
- Adjustable feet 110-150 mm.
- Environmentally friendly: R452a as refrigerant gas.


**APPROVAL:** \_\_\_\_\_



Front




Side



- CWI = Cold Water inlet 1 (cleaning)
- D = Drain
- EI = Electrical inlet (power)

Top



Doc No : ID730212  
ID730213

**Electric**

**Supply voltage:**

730212 (IFG510AB35) 200-240 V/1 ph/50 Hz

**Electrical power max.:**

1.7 kW

**Capacity:**

**Bin capacity:**

350 kg

**Key Information:**

**External dimensions, Width:**

1250 mm

**External dimensions, Depth:**

900 mm

**External dimensions, Height:**

1795 mm

**Net weight:**

207 kg

**Output:**

510 kg/day