
# FROFESSIONAL

Handling System for Hood type Pre-wash Table with 500x400 Bowl and Strainer Left to Right, 1800mm



ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

### **Main Features**

- Supplied knocked-down and easy to assemble.
- To be secured to the dishwasher and fitted to the receiving and sorting tables at the other end.
- Plain undershelves and pre-rinse units available as optional accessories.
- Designed for 500x500 mm dishwashing racks.

#### Construction

- Stainless steel feet 50 mm adjustable in height to ensure that tables drain back into the dishwasher.
- Included splashback to prevent water spatter.
- Deep anti-drip profiles completely folded with lower edge for safe and easy cleaning.
- All surfaces smooth with polished finish.
- 40x40 mm square tubular legs in AISI 304 stainless steel.
- 304 AISI stainless steel construction throughout.
- Bowl size 500x400x300h with drain hole and strainer.


#### **Optional Accessories**

- Strainer basket for prewash PNC 864068 🖵 tables
- Undershelf for Dishwasher table, PNC 865354 1800mm
- Floor fastening kit for 2 square PNC 865386 □ legs
- Single plastic drain syphon 2" for PNC 895313 □ Sinks

#### APPROVAL:



## Handling System for Hood type Pre-wash Table with 500x400 Bowl and Strainer Left to Right, 1800mm



Handling System for Hood type Pre-wash Table with 500x400 Bowl and Strainer Left to Right, 1800mm

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



## Handling System for Hood type Pre-wash Table with 500x400 Bowl and Strainer Left to Right, 1800mm

Key Information	Kev	Inform	ation:
-----------------	-----	--------	--------

External dimensions, Width:	
865333 (PTSBHT18L)	1800 mm
External dimensions, Depth:	745 mm
External dimensions, Height:	1170 mm
Net weight:	18 kg
Splashback Dimensions, Height:	300 mm
Basin dimensions:	500x400x300h



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.