

Handling System for Hood type Pre-wash Table with Bowl Left to Right, 800mm

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



865307 (BHHPTB08L)

Prewash table with
500x400mm bowl for Hood
Type, l>r, 800mm

Short Form Specification

Item No. _____

For hood type dishwashers. Constructed in 304 AISI stainless steel with backslash mm250h. N. 2 square 40x40mm tubular legs on height-adjustable feet. Bowl size mm500x400x300h with overflow pipe and drain hole. Basket direction: from left to right.

Main Features

- Supplied knocked-down and easy to assemble.
- Designed for 500x500 mm dishwashing racks.
- Plain undershelves and pre-rinse units available as optional accessories.


Construction

- Stainless steel feet 50 mm adjustable in height to ensure that tables drain back into the dishwasher.
- Included splashback to prevent water spatter.
- Deep anti-drip profiles completely folded with lower edge for safe and easy cleaning.
- All surfaces smooth with polished finish.
- 40x40 mm square tubular legs in AISI 304 stainless steel.
- 304 AISI stainless steel construction throughout.
- To be secured to the dishwasher and fitted with one pair of legs at the other end.
- Bowl size 500x400x300h with drain hole and strainer.


Optional Accessories

- Undershelf for Dishwasher PNC 865351 ☐
table, 800mm
- Floor fastening kit for 2 square PNC 865386 ☐
legs
- Single plastic drain syphon 2 PNC 895313 ☐
" for Sinks


APPROVAL: _____



Front



Side



Top

Key Information:

| | |
|-------------------------------------|--------------|
| External dimensions, Width: | |
| 865307 (BHHPTB08L) | 800 mm |
| External dimensions, Depth: | 745 mm |
| External dimensions, Height: | 1170 mm |
| Net weight: | 6 kg |
| Splashback Dimensions, | |
| Height: | 300 mm |
| Basin dimensions: | 500x400x300h |

Handling System for Hood type
Pre-wash Table with Bowl Left to Right, 800mm

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.05.29