

# **Food Processor** Stainless Steel Cutter Mixer - 11.5 LT - 2 Speeds with Microtoothed Blade, Bowl and Scraper

ITEM #
MODEL #
MODEL #
NAME #
SIS #
AIA#



600084 (K120S2)

Cutter Mixer 11,5 It capacity, timer, 2 speeds 1500-3000 rpm. Supplied with microtoothed rotor, stainless steel bowl and scraper

# **Short Form Specification**

### Item No.

Cutter mixer for mixing, chopping, mincing and liquidising. 11,5 litre capacity 304 AISI stainless steel bowl and base hinged transparent BPA free cover with a watertight seal. Lid central opening allows products to be added during the preparation. Angled perforated micro toothed blades and scraper ensure consistent mixing.

Parts in contact with food are removable and dismountable for efficient cleaning.

Safety granted by magnetic microswitch which stops the machine if lid or bowl are not correctly positioned.

A safety device stops the machine restarting after a power cut, until the operator presses the start button. Touch button control panel, IP65 protection with low voltage level.

Model equipped with micro toothed blade, bowl and scraper. Two speed rotation: 1500 and 3000 rpm.

#### Main Features

- Productivity suitable for 100-200 meals per service.
- Food processor allows fast liquidizing, mixing, mincing, chopping and pastry-making.
- Delivered with:
  - -11.5 liter stainless steel bowl with max liquid level indication to avoid spillage
  - -micro toothed perforated blade
  - -scraper
- Angled perforated knives and conical base of the bowl ensure consistent mixing.
- Lid with central opening to add ingredients in midcycle.
- Base fixed cover for a better handling.
- Cover metal frame to ensure seal water tightness to avoid leakage.
- All parts in contact with food are removable without tools and completely dismountable.
- Pulse function for coarse chopping.

#### Construction

- 304 AISI stainless steel bowl with leak resistant spout and handles, easy to manage.
- Scraper with SS handle, easy to dismount.
- 2 speeds: 1500 and 3000 rpm.
- Power: 2200 watts.
- IP65 touch button control panel.
- Cover handle with double safety locking system.
- Transparent BPA free cover incorporates a magnetic safety system which stops the machine if lid is not properly closed.
- A safety device requires to press the start button to restart the machine after a power cut.
- Asynchronous silent industrial motor for heavy duty and longer life.

## **Included Accessories**

- 1 of Scraper for K120 and KE120 PNC 650059 cutter mixer
- 1 of Microthoothed blade rotor PNC 650060 for 11,5 It cutter mixer
- 1 of Stainless steel bowl for 11,5 lt PNC 650073 cutter mixer

# Optional Accessories


Scraper for K120 and KE120 cutter mixer	PNC 650059 🗖
<ul> <li>Microthoothed blade rotor for 11,5 lt cutter mixer</li> </ul>	PNC 650060 🗖
<ul> <li>Stainless steel bowl for 11,5 lt cutter mixer</li> </ul>	PNC 650073 🗖
Stainless steel mobile stand with 4 wheels (2 fixed and 2 pivoting with brake). Height: 730 mm	PNC 653017 🗅

- Serrated blade rotor for 11,5 lt PNC 653299 🗆 cutter mixer
- Serrated blade rotor for meat for PNC 653538 🖵 11,5 It cutter mixer

#### APPROVAL:









_					
-	le	^	r	rı	_
_	_	•	L		•

**Supply voltage:** 380-415 V/3 ph/50 Hz

Electrical power, max: 2.2 kW
Total Watts: 2.2 kW

Capacity:

Performance (up to): 6 kg/Cycle Capacity: 11.5 litres

**Key Information:** 

External dimensions,

Width: 416 mm

External dimensions,

Depth: 680 mm

External dimensions,

Height: 517 mm Shipping weight: 68 kg

