



**Electrolux**  
PROFESSIONAL

## Stainless Steel Preparation Shelving set for 2830x2430 mm cold room

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



137107 (CRS2824)

Shelving Set, composed of aluminium uprights and 4 polyethylene louvered shelves, for 2830x2430 mm Cold Rooms

### Short Form Specification

**Item No.** \_\_\_\_\_

4-level shelving set. Designed for corner installation along the sides of the cold room. Louvered sectional polyethylene shelves (depth=373mm). Aluminium (20 micron) side uprights (height=1550mm). Adjustable feet.

### Main Features

- Complete shelving system allows rapid and easy fixing of the shelves to the uprights.
- GN 1/1, GN 1/2 and GN 1/3 can be inserted into the frame.


### Construction

- Uprights and shelf frames constructed entirely in anodized aluminium (20 micron).
- 4 tiers.
- Shelves made by section of polyethylene tablets.
- Sectional polyethylene shelves are dishwasher safe.

APPROVAL: \_\_\_\_\_



Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)



2025.06.30



**Electrolux**  
PROFESSIONAL

## Stainless Steel Preparation Shelving set for 2830x2430 mm cold room

### Key Information:

External dimensions,  
length

137107 (CRS2824) 1117-2314-2738-2314 mm

External dimensions,  
Depth:

373 mm

External dimensions,  
Height:

1550 mm

Max loading weight:

3600 kg

Net weight:

119 kg



Stainless Steel Preparation  
Shelving set for 2830x2430 mm cold room

The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.06.30