

## Handling System for Dishwasher Short roller conveyors 1


ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



863137 - 863138 - 863139 - 863140 - 863141 - 863142

### Short Form Specification

**Item No.** \_\_\_\_\_

Constructed in 304 AISI stainless steel. Basin with sloping bottom and drain. Short plastic rollers. Square 40x40mm square legs with height-adjustable feet. Designed for 500x500mm dishwashing baskets. Knock-down delivery.

### Main Features

- The table can be used in loading and/or unloading sides.
- Suitable to install either a single unit with dishwasher or combined with other tables.
- The table is suitable for both rack type and hood type dishwasher. Rack type dishwasher can be connected directly to the table, while there are optional accessories to adapt the table with hood type dishwasher.
- Conveyors supplied as knockdown and easy to assemble.
- "Key holes" and "snap on" system reduces the number of screws needed for fast and easy installation.
- Improved end limit switch for easier cleaning and higher reliability.
- Manual rack movement with short rollers.
- Drain can be turned 360°.
- Designed to transport 500x500 mm dishwashing baskets.

### Construction

- Two legs included.
- Stainless steel feet 50 mm adjustable in height to align the operation height between the dishwasher and table.
- Thick welded flanges for sturdy connection between the units.
- All surfaces smooth with polished finish.
- 40x40 mm square tubular legs in AISI 304 stainless steel.
- AISI 304 1,2mm stainless steel basin.
- Self-bearing undershelf eliminates the need for additional frames.
- Conveyors optionally equipped with end-limit switch, end plate, guides for racks, and undershelves.
- Sloping bottom of the table grants a smooth and rapid drainage.


### Sustainability



- The short roller conveyor is available in 600mm length and from 1100mm up to 2600mm with 100mm-step length.

APPROVAL: \_\_\_\_\_

Front



### Key Information:

#### External dimensions, Width:

863137 (HSSRC4)	400 mm
863138 (HSSRC5)	500 mm
863139 (HSSRC7)	700 mm
863140 (HSSRC8)	800 mm
863141 (HSSRC9)	900 mm
863142 (HSSRC10)	1000 mm

#### External dimensions, Depth:

620 mm

#### External dimensions, Height:

910 mm

#### Net weight:

863137 (HSSRC4)	9 kg
863138 (HSSRC5)	9 kg
863139 (HSSRC7)	11 kg
863140 (HSSRC8)	12 kg
863141 (HSSRC9)	13 kg
863142 (HSSRC10)	14 kg

#### Height adjustment:

50/50 mm


#### Basin material:

Stainless Steel AISI 304 - EN

#### Type of rollers:


Short

Side



D = Drain

Top



Optional Accessories		863137	863138	863139	863140	863141	863142
	865162 - Emergency stop kit for Rack Type Dishwasher (not for Basic handling system)	✓	✓	✓	✓	✓	✓
	865163 - Connection plate (short) for left side to connect handling system to hood type	✓	✓	✓	✓	✓	✓
	865164 - Connection plate (long) for front and right side to connect handling system to hood type	✓	✓	✓	✓	✓	✓
	865217 - End plate for conveyor table	✓	✓	✓	✓	✓	✓
	865218 - End limit switch for short roller conveyor	✓	✓	✓	✓	✓	✓
	865219 - Plain undershell for roller conveyor, 600 mm			✓	✓	✓	✓
	865234 - Connection bracket for plain undershell and grid undershell (to be used if roller conveyor is connected directly to Rack Type Dishwasher)	✓	✓	✓	✓	✓	✓
	865235 - Connection bracket for plain undershell and grid undershell (to be used if roller conveyor is connected directly to Rack Type Dishwasher with splash hood)	✓	✓	✓	✓	✓	✓
	865236 - Grid undershell, 600 mm			✓	✓	✓	✓
	865253 - Inclined extension table for roller conveyor	✓	✓	✓	✓	✓	✓
	865452 - Plain undershell for roller conveyor, 800 mm				✓	✓	✓
	865453 - Grid undershell, 800 mm				✓	✓	✓