


Handling System for Dishwasher Short roller conveyors

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	



865185 - 865186 - 863000 - 863001 - 863002 - 863003 - 865187 - 863004 - 863005 - 863006 - 863007 - 865188 - 863008 - 863009 - 863010 - 863011 - 863012

Short Form Specification

Item No.

Constructed in 304 AISI stainless steel. Basin with sloping bottom and drain. Short plastic rollers. Square 40x40mm square legs with height-adjustable feet. Designed for 500x500mm dishwashing baskets. Knock-down delivery.

Main Features

- The table can be used in loading and/or unloading sides.
- Suitable to install either a single unit with dishwasher or combined with other tables.
- The table is suitable for both rack type and hood type dishwasher. Rack type dishwasher can be connected directly to the table, while there are optional accessories to adapt the table with hood type dishwasher.
- Conveyors supplied as knockdown and easy to assemble.
- "Key holes" and "snap on" system reduces the number of screws needed for fast and easy installation.
- Improved end limit switch for easier cleaning and higher reliability.
- Manual rack movement with short rollers.
- Drain can be turned 360°.
- Designed to transport 500x500 mm dishwashing baskets.

Construction

- Two legs included.
- Stainless steel feet 50 mm adjustable in height to align the operation height between the dishwasher and table.
- Thick welded flanges for sturdy connection between the units.
- All surfaces smooth with polished finish.
- 40x40 mm square tubular legs in AISI 304 stainless steel
- AISI 304 1,2mm stainless steel basin.
- Self-bearing undershelf eliminates the need for additional frames.
- Conveyors optionally equipped with end-limit switch, end plate, guides for racks, and undershelves.
- Sloping bottom of the table grants a smooth and rapid drainage.

Sustainability




 The short roller conveyor is available in 600mm length and from 1100mm up to 2600mm with 100mm-step length.

APPROVAL:



Handling System for Dishwasher Short roller conveyors



Key Information:

Type of rollers:

External dimensions, Width:	
865185 (HSSRC6)	600 mm
865186 (HSSRC11)	1100 mm
863000 (HSSRC12)	1200 mm
863001 (HSSRC13)	1300 mm
863002 (HSSRC14)	1400 mm
863003 (HSSRC15)	1500 mm
865187 (HSSRC16)	1600 mm
863004 (HSSRC17)	1700 mm
863005 (HSSRC18)	1800 mm
863006 (HSSRC19)	1900 mm
863007 (HSSRC20)	2000 mm
865188 (HSSRC21)	2100 mm
863008 (HSSRC22)	2200 mm
863009 (HSSRC23)	2300 mm
863010 (HSSRC24)	2400 mm
863011 (HSSRC25)	2500 mm
863012 (HSSRC26)	2600 mm
External dimensions, Depth:	620 mm
External dimensions, Height:	910 mm
Net weight:	
865185 (HSSRC6)	10 kg
865186 (HSSRC11)	15 kg
863000 (HSSRC12)	16 kg
863001 (HSSRC13)	17 kg
863002 (HSSRC14)	18 kg
863003 (HSSRC15)	19 kg
865187 (HSSRC16)	20 kg
863004 (HSSRC17)	21 kg
863005 (HSSRC18)	22 kg
863006 (HSSRC19)	23 kg
863007 (HSSRC20)	24 kg
865188 (HSSRC21)	25 kg
863008 (HSSRC22)	26 kg
863009 (HSSRC23)	27 kg
863010 (HSSRC24)	28 kg
863011 (HSSRC25)	29 kg
863012 (HSSRC26)	30 kg
Height adjustment:	50/50 mm
Basin material:	Stainless Steel AISI 304 - EN 1.4301

Short



Optional Accessories



Handling System for Dishwasher Short roller conveyors

March Marc		865185	865186	863000	863001	863002	863003	865187	863004	863005	863006	863007	865188	863008	863009	863010	863011	863012
Rest indicated for casts conveyed, 1500 mm	Plain undershelf for roller conveyor, 1200 mm			1														
Rean understaled ratio conseque, 1400 mm Substance of the consequ	Plain undershelf for roller conveyor, 1300 mm				1	1	1	1	1	1	1	1	1	1	1	1	/	1
	Plain undershelf for roller conveyor, 1400 mm					1	1	/	1	1	1	1	1	1	1	1	1	1
Pines Marches Control of Co	Plain undershelf for roller conveyor, 1500 mm						1	1	1	1	1	1	1	1	1	1	/	1
Pinn understant for the conveyor, 1900 arm ADMA:									1	1	1	1	1	1	1	1	/	1
Pinn understell for entire conveyor, 1900 mm										1	1	1	1	1	1	>	/	1
Pinal understellar for after conveyor, 2000 mm	863083 - Plain undershelf for roller conveyor, 1900 mm										1	1	1	1	1	>	1	1
Pinn sustained for after conveyor, 2000 mm												1	1	1	1	1	1	1
BASSIGN Prop. nucleoted for context conveyor, 7400 mm Prop. nucleoted for polar conveyor, 7400 mm Prop. nu														1	1	1	1	1
BASSIST Point professional for rollier conveyor, 2500 mm	863086 -														1	1	~	1
BASSIS	863087 -															1	~	1
BASSID Post understatt EQD mm	863088 -																1	1
8.63303	863089 -																	1
6.65104	863103 -			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
56500	863104 -				1	1	1	1	1	1	1	1	1	1	1	1	1	1
663008	863105 -					1	1	1	/	1	1	1	1	1	1	1	1	1
653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 653107 6	863106 -						1	1	1	1	1	/	1	1	/	1	1	1
86388	863107 -								/	1	1	1	1	1	1	/	1	1
86310 -	863108 -									1	1	1	1	1	1	/	1	1
B6310	863109 -										1	/	1	1	/	1	1	1
B65111 -	863110 -											/	1	1	/	1	/	1
B65112 -	863111 -													1	/	1	/	1
B63113 -	863112 -														1	/	1	1
B65114 - Connection plate (jump) for left side to connect handling system to hood type S6520 - End jumbershelf (roraler conveyor, 200 mm S6522 - Connection plate for roller conveyor, 200 mm S6522 - Connection plate for roller conveyor, 200 mm S6522 - Connection plate for roller conveyor, 200 mm S6522 - Connection plate for roller conveyor, 200 mm S6522 - Connection plate for roller conveyor, 200 mm S6522 - Connection plate for roller solves bestell, 100 mm S6522 - Connected dishwasher baskets, 100 mm 2000 mm S6522 - Connected for lot dishwasher baskets, 100 mm S6522 - Connected of roller conveyor, 200 mm S6522 - Connected of roller solves have bestell for lot be used if roller conveyor roller conveyor and roller solves have been baskets, 100 mm S6522 - Connected dishwasher baskets, 200 mm S6522 - Connected dishwasher baskets, 200 mm S6522 - Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood) Connected directly to Rock Type Dishwasher with splash hood)	863113 -															/	/	1
863115 - Control and reshelf (2600 mm 1500	863114 -																/	1
665162 Emergency stop kit for Rack Type Disthwasher (not for Basic handling system)	863115 -																	1
865163 -	865162 -	1	1	/	1	/	/	1	/	/	/	/	/	1	/	/	/	1
865104 -	865163 -	1	1	/	1	/	/	/	/	1	/	/	1	1	/	/	/	1
865217- End plate for conveyor table	865164 -	/	1	/	/	1	1	1	/	1	1	/	1	1	/	/	/	1
865218	865217 -	1	1	/	1	1	1	1	/	1	1	/	1	1	/	1	1	1
865219	865218 -	1	1	/	1	1	1	1	1	1	1	/	1	1	/	1	/	1
865221 - Plain undershelf for roller conveyor, 100 mm	865219 -	/	1	/	/	1	1	/	/	1	1	/	1	1	/	/	1	1
865221 - Plain undershelf for roller conveyor, 1600 mm 865222 - Plain undershelf for roller conveyor, 2100 mm 865223 - Plain undershelf for roller conveyor, 2100 mm 865224 - Suide rack for 4 dishwasher baskets, 1100 mm - 1500 mm 865225 - Suide rack for 8 dishwasher baskets, 1600 mm - 2000 mm 865225 - Suide rack for 12 dishwasher baskets, 2100 mm - 2500 mm 865225 - Suide rack for 12 dishwasher baskets, 2100 mm - 2500 mm 865225 - Suide rack for 12 dishwasher baskets, 2100 mm - 2500 mm 865225 - Suide rack for 16 dishwasher baskets, 2600 mm Suide rack for 16 dishwas	865220 -		1	/	1	/	/	1	/	/	1	/	/	1	/	1	/	1
865223 - Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher with splash hood) 865235 - Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher with splash hood) 865236 - Grid undershelf, 600 mm 865237 - Grid undershelf, 1000 mm 865238 - Grid undershelf, 1000 mm 865236 - Grid undershelf, 1000 mm 865237 - Grid undershelf, 1000 mm 865238 - Grid undershelf, 1000 mm 865236 - Grid undershelf, 1000 mm 865237 - Grid undershelf, 1000 mm 865238 - Grid undershelf, 1000 mm 865238 - Grid undershelf, 1000 mm 865239 - Grid undershelf, 1000 mm 865239 - Grid undershelf, 1000 mm 865235 - Inclined extension table for roller conveyor is connected for polar undershelf, 1000 mm 865236 - Grid undershelf, 1000 mm	865221 -							/	/	1	/	/	1	1	/	1	/	1
865223 -	865222 -												1	1	/	/	/	1
865224 - Guide rack for 8 dishwasher baskets, 1600 mm - 2000 mm	865223 -		1	/	/	1	1	1	/	1	1	/	1	1	/	/	1	1
885225 - Guide rack for 12 dishwasher baskets, 2100 mm - 2500 mm 865226 - Guide rack for 16 dishwasher baskets, 2600 mm 865234 - Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher) S65235 - Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher) S65236 - Grid undershelf, 200 mm S65236 - Grid undershelf, 1000 mm S65239 - Grid undershelf, 1000 mm S65239 - Grid undershelf, 2100 mm S65236 - Grid undershelf, 2100 mm S65235 - Grid undershelf, 2100 mm S65235 -	865224 -							1	/	1	1	1	1	1	1	/	1	1
865236 -	865225 -												/	1	/	1	/	1
865/234 - Connection bracket for plain undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher)	865226 -																	/
Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher) 865235 - Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher with splash hood) 865236 - Grid undershelf, 400 mm		/	/	/	/	/	/		/	/	/	/	/	/	/	/	/	
Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher with splash hood) 865236 -	Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher)																	
Grid undershelf, 600 mm	Connection bracket for plain undershelf and grid undershelf (to be used if roller conveyor is connected directly to Rack Type Dishwasher with splash hood)			/	`	/			/	/		/	/	′	/	`		
Grid undershelf, 1100 mm	Grid undershelf, 600 mm	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	/	1
Grid undershelf, 1600 mm	Grid undershelf, 1100 mm		1	1	1	1	1	1	1	1	1	1	1	1	1	1	/	1
Grid undershelf, 2100 mm								1	1	1	1	/	1	1	/	/	/	1
Inclined extension table for roller conveyor	Grid undershelf, 2100 mm												1	1	/	/	/	1
865452 - Plain undershelf for roller conveyor, 800 mm		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	/	/
865453 -	865452 -		1	/	1	1	1	1	1	1	1	/	1	1	/	1	1	1
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			1	/	1	1	1	1	1	1	1	/	1	1	/	1	/	1

