

Planetary Mixers Stainless Steel Planetary Mixer, 30 It. - Electronic with Hub

ITEM #		
MODEL #		
MODEL #		-
NAME #		
CIC "		
SIS #		-
AIA#		

600261 (XBE30AX)
----------	----------

30 It stainless steel Planetary Mixer, bowl detection device and SOLID BPA free safety screen, with electronic speed variation. Equipped with spiral hook, paddle, whisk and H type accessory hub

Short Form Specification

Item No.

Floor model, suitable for all kneading, blending and whipping operations. Body in stainless steel with 18/8 (AISI 302) 30 litre capacity stainless steel bowl. Powerful asynchronous motor (1100 W) with an electronic speed variator (10 speed levels from 30 to 180 rpm). Water protected planetary system. Pivoting and removable wire safety screen. Removable and dismantled solid safety screen - made of a bisphenol-A free (BPA) copolyester. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Water proof (IP55) and flat touch button control panel with timer (60 min), which switches off the machine at the end of the cycle. Continuous operation position. Start/stop button. Adjustable feet for stability. Equipped with accessory drive hub type H (accessories are not included). Supplied with 3 tools: spiral hook, paddle and whisk.

Main Features

- Professional beater mixer that provides all the basic mixer functions: kneading of all sort of pastes, mixing of semi-liquid products, emulsions and various sauces.
- Delivered with:
- -Spiral Hook, Paddle, Whisk and Mixing Bowl for 30 lt $\,$
- -Accessory drive hub (accessories are not included)
- Waterproof touch button control panel with timer, speed setting and display.
- Electronic speed variator.
- Maximum capacity (flour, with 60% of hydration) 7 kg, suitable for 100-300 meals per service.
- Wire safety screen fitted with a removable chute to add products while working, thus ensuring operator safety.
- Pivoting and removable wire safety screen for easier and better cleaning.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Safety device will automatically stop the machine when the bowl is lowered.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.

Construction

- Body entirely in stainless steel.
- 302 AISI Stainless steel bowl 30 lt. capacity.
- Asynchronous motor with high start-up torque.
- 10 speeds from 30 to 180 rpm (planetary movement), to adjust to the selected tool and mixture hardness.
- Water protected planetary system (IP55 electrical controls, IP34 appliance overall).
- Planetary movement based on self lubricating gears, eliminating any risk of leaks.
- Power: 1100 watts.
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- Adjustable feet for perfect stability.

Included Accessories

1 of Bowl 30 lt mixer
 1 of Spiral Hook 30 lt
 1 of Paddle 30 lt
 1 of Whisk 30 lt
 PNC 653165
 PNC 653166

Optional Accessories

Bowl 30 lt mixer
 PNC 650123 □

APPROVAL:






Planetary Mixers Stainless Steel Planetary Mixer, 30 It. - Electronic with Hub

• 10 lt reduction kit (bowl, spiral hook, paddle, whisk) and removable spout for 30 lt planetary mixers	PNC 650124	
 20 lt reduction kit (bowl, spiral hook, paddle, whisk) for 30 lt planetary mixers 	PNC 650125	
 Spiral Hook 30 lt Paddle 30 lt Whisk 30 lt Puree strainer for H hub supplied with 1 screw and 3 grids of 1.5, 3 and 6 mm 	PNC 653161 PNC 653165 PNC 653166 PNC 653187	
 Vegetable cutter, attachment type H, disconnectable drive, for planetary mixers 	PNC 653225	
 Reinforced Whisk 30 lt (for heavy duty use) 	PNC 653253	
Kit wheels for 20/30/40 litre planetary mixers (only XB models)	PNC 653552	
Bowl trolley for 30 lt planetary mixers (cannot be used with wheel kit 653552)	PNC 653562	
 Aluminium external support for 70 mm meat mincer (includes tray and pusher) - H HUB - To be combined with a meat mincer kit 	PNC 653720	
 Aluminium meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm) 	PNC 653721	
 Stainless steel meat mincer kit 70 mm Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm) 	PNC 653722	
Stainless steel meat mincer kit 70 mm 1/2 Unger cut, includes blade (4 discs, diam. 0, 3 - 4.5 and 8 mm)	PNC 653723	





Planetary Mixers Stainless Steel Planetary Mixer, 30 It. - Electronic with Hub



Electric Supply voltage: 200-240 V/1N ph/50/60 Hz Capacity: Performance (up to): 7 kg/Cycle 30 litres Capacity:

Key Information:

External dimensions, Width: 532 mm External dimensions, Depth: 685 mm 1208 mm External dimensions, Height: Shipping weight: 108 kg Net weight (kg): 100

Cold water paste: 7 kg with Spiral hook 50 with Whisk Egg whites:



Planetary Mixers Stainless Steel Planetary Mixer, 30 lt. - Electronic with Hub