

### Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, Variable Speed

ITEM #	
MODEL #	
MODEL #	
NAME #	
SIS #	
AIA#	



600460 (TR210YVVT)

Vegetable Slicer, automatic hopper, on stainless steel trolley, variable speed between 140 to 750 rpm

### **Short Form Specification**

### Item No.

For medium catering facilities, up to 1000 meals per service, specially designed for slicing, grating, julienne and dicing. Stainless steel automatic feed hopper allows large scale preparations (up to 2100kg/h).

Freestanding configuration thanks to the smart design trolley, which can host both the machine and the 2/1 GN tray to collect the cut vegetables.

Parts in contact with food - stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Asynchronous industrial motor for heavy duty and longer life.

Safety granted by magnetic micro switch which stops the machine if hopper is not correctly positioned.

Waterproof (IP55) control panel with "no volt release" safety device. Variable speed model (from 140 to 750 rpm).

Manual lever-operated hopper, long vegetable hopper available as optional accessories.

### **Main Features**

- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Delivered with:
  - -automatic hopper
  - -cutting chamber
  - -ejector disc
- -smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation
- Continuous feed model, hopper capacity is 5/6 kg.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- High flexibility and ergonomy thanks to the available optional accessories.
- Long vegetable hopper (4 round hoppers with different size) available as optional accessory to better fit different type of vegetables/fruits.
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).

### Construction

- All discs (available on request) are made in stainless steel and dishwasher safe.
- Automatic hopper are made entirely in stainless steel for better durability.
- Long vegetable hopper, lever operated hopper and the smart trolley are made in stainless steel.
- Power: 500 Watts.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Variable speed from 140 to 750 rpm.
- Improved fixing of long vegetable hopper pusher.

### APPROVAL:





# Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, Variable Speed

Included Accessories  • 1 of Stainless steel trolley for TR210 with 1/1 GN tray rails (GN tray not	PNC 650065		•	Stainless steel long vegetable hopper with 4 tubes different sizes with pusher (no cutting chamber, no ejector) for TR210	PNC 650109	
included)  • 1 of Ejector disc	PNC 653772		•	Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids	PNC 650110	
Optional Accessories			•	Dicing kit 10x10x10mm, diam. 205mm (10mm aluminum slicing pressing disc,	PNC 650112	
<ul> <li>Stainless steel shredding disc with S- blades 4x4 mm</li> </ul>	PNC 6500//		•	10mm grid and grid cleaning tool) Gastronomy Pack-set discs (2mm, 5mm	PNC 650113	
<ul> <li>Stainless steel shredding disc with S- blades 6x6 mm (can also be used for French fries)</li> </ul>	PNC 650078			and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning		
<ul> <li>Stainless steel shredding disc with S- blades 8x8 mm (can also be used for French fries)</li> </ul>	PNC 650079		•	Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm	PNC 650114	
<ul> <li>Stainless steel shredding disc with S- blades 10x10 mm (can also be used for French fries)</li> </ul>	PNC 650080			grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool		
• Stainless steel pressing/slicing disc with S-blades 0,6 mm (can be used	PNC 650081		•	Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115	
for slicing or combined with grids)	DNC /50000		•	Aluminum pressing/slicing disc with straight blades 8 mm - for dicing	PNC 650116	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 1 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650082		•	Stainless steel shredding disc with S- blades 2x8 mm	PNC 650158	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 2 mm (can be used</li> </ul>	PNC 650083		•	Stainless steel shredding disc with S- blades 2x10 mm	PNC 650159	
for slicing or combined with grids)  • Stainless steel pressing/slicing disc with S-blades 3 mm (can be used	PNC 650084		•	Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids)	PNC 650160	
for slicing or combined with grids)  • Stainless steel pressing/slicing disc with S-blades 4 mm (can be used	PNC 650085		•	Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing or combined with grids)	PNC 650161	
<ul> <li>for slicing or combined with grids)</li> <li>Stainless steel pressing/slicing disc with S-blades 5 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650086		•	Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be used for slicing or combined with grids)	PNC 650162	
Stainless steel pressing/slicing disc with S-blades 6 mm (can be used for slicing or combined with grids)	PNC 650087		•	Stainless steel pressing/slicing disc with corrugated S-blades 10 mm (can be used for slicing or combined with grids)	PNC 650164	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650088		•	Stainless steel pressing/slicing disc with S-blades 13 mm (can be used for slicing	PNC 650165	
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or combined</li> </ul>	PNC 650089		•	or combined with grids) Stainless steel shredding disc with S- blades 2x2 mm	PNC 650166	
<ul><li>with grids)</li><li>Stainless steel pressing/slicing disc</li></ul>	PNC 650090		•	Stainless steel shredding disc with S- blades 3x3 mm	PNC 650167	
with corrugated S-blades 3 mm (can be used for slicing or combined with grids)	1110 000070	_	•	Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs)	PNC 650178	
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades 6 mm (can</li> </ul>	PNC 650091			Dicing grid 5x5 mm	PNC 653566	
be used for slicing or combined with				Dicing grid 8x8 mm Dicing grid 10x10 mm	PNC 653567 PNC 653568	
grids)	DNC / 50000			Dicing grid 12x12 mm	PNC 653569	
<ul> <li>Bistrot Pack-set stainless steel discs (2mm and 5mm slicing pressing</li> </ul>	PNC 650092			Dicing grid 20x20 mm	PNC 653570	
disc, 2mm grating disc)				Grid for chips 6x6 mm	PNC 653571	
Stainless steel lever-operated	PNC 650094			Grid for chips 8x8 mm	PNC 653572	
hopper for TR210 (no cutting chamber, no ejector)			•	Grid for chips 10x10 mm	PNC 653573	
• Set of 3 stainless steel discs for Pizza	PNC 650107		•	Support for 1 disc, diam. 175mm and 205mm	PNC 653632	
(2mm and 4mm pressing/slicing			•	Ejector disc	PNC 653772	
discs with S-blades, 7mm grating disc)				Stainless steel grating disc 2 mm	PNC 653773	
•				Stainless steel grating disc 3 mm	PNC 653774	





# Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, Variable Speed


•	Stainless steel grating disc 4 mm	PNC 653775	
•	Stainless steel grating disc 7 mm	PNC 653776	
•	Stainless steel grating disc 9 mm	PNC 653777	
•	Stainless steel grating disc for knoedeln and bread	PNC 653778	
•	Stainless steel grating disc for parmesan and bread	PNC 653779	






## Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley, Variable Speed

# Front







Supply voltage:

600460 (TR210YVVT) 200-240 V/1N ph/50/60 Hz

Electrical power max.: 0.5 kW **Total Watts:** 0.5 kW

Capacity:

Performance (up to): 2100 kg/hour

**Key Information:** 

External dimensions, Width: 630 mm 770 mm External dimensions, Depth: 1250 mm External dimensions, Height: Shipping weight: 81 kg

