

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		



600465 (TRSYIV37)

Vegetable Slicer, 1 speed 340 rpm, 370 W. Lever operated hopper in stainless steel for intense use

Short Form Specification

Item No.

Universal vegetable slicer for more than 80 different types of cuts, thanks to several stainless steel dw safe discs.

Parts in contact with food - stainless steel lever, stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Compact and ergonomic design, user-friendly lever (better pressure control, with less effort for arms and shoulder), designed for right and left handed users. Angled base (20°) facilitates loading and unloading operations. Long vegetable hopper (55,5mm diameter), integrated in the wide 3/4 moon round hopper (215cm²) in stainless steel. Asynchronous industrial motor for heavy duty and longer life. High discharge zone (up to 20cm) for GN containers. I speed (340rpm) and pulse control for precise slicing. Automatic start/stop function will stop the machine when the lever hopper is lifted and will restart automatically when lowered. Waterproof (IP55) control panel and aluminium alloy motor base completely closed for complete protection against strong jets of water.

Main Features

- Suitable for 100-400 meals for table service and up to 800 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Ergonomically designed for right and left-handed users, frontal working and to reduce working space around the machine.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Hopper easily removed for cleaning.
- Base inclined at 20° to provide easy loading and unloading.
- High discharge zone permits the use of deep GN containers (up to 20cm).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Pulse function for precise cutting.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Continuous feed model.
- Delivered with:
 - -All stainless steel vegetable prep attachment with a lever-integrated long vegetable hopper (55,5mm diameter) and a large round hopper (215cm²)

Construction

- All blades (available on request) are made in stainless steel and dishwasher safe.
- Power: 370 W single phase.
- 1 speed 340 rpm for precise cutting, slicing and dicing.
- Compact and portable design.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Improved ventilation system to manage smoothly heavy duty use.
- Reinforced basement and feet to withstand the continuous movements of the unit.
- Improved fixing of long vegetable hopper pusher.

Included Accessories

• 1 of Ejector disc PNC 653772

Optional Accessories

- Stainless steel shredding disc PNC 650077 ☐ with S-blades 4x4 mm
- Stainless steel shredding disc with S-blades 6x6 mm (can also be used for French fries)

APPROVAL:






•	Stainless steel shredding disc with S- blades 8x8 mm (can also be used	PNC 650079		 Aluminum pressing/slicing disc with straight blades 8 mm - for dicing 	
,	for French fries) Stainless steel shredding disc with S-	PNC 650080		 Stainless steel shredding disc with S- blades 2x8 mm 	3 🗆
	blades 10x10 mm (can also be used for French fries)		•	 Stainless steel shredding disc with S- blades 2x10 mm 	
•	 Stainless steel pressing/slicing disc with S-blades 0,6 mm (can be used for slicing or combined with grids) 	PNC 650081		 Stainless steel pressing/slicing disc with PNC 650160 S-blades 10 mm (can be used for slicing or combined with grids)) 🗖
•	 Stainless steel pressing/slicing disc with S-blades 1 mm (can be used for slicing or combined with grids) 	PNC 650082		 Stainless steel pressing/slicing disc with PNC 650161 S-blades 12 mm (can be used for slicing or combined with grids) 	
•	 Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for slicing or combined with grids) 	PNC 650083		 Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be used for slicing or combined with grids) 	2 🗖
•	 Stainless steel pressing/slicing disc with S-blades 3 mm (can be used for slicing or combined with grids) 	PNC 650084		• Stainless steel pressing/slicing disc with PNC 650164	4 🗖
•	Stainless steel pressing/slicing disc with S-blades 4 mm (can be used for slicing or combined with grids) Stainless steel pressing/slicing disc with S-blades 4 mm (can be used for slicing or combined with grids)	PNC 650085		corrugated S-blades 10 mm (can be used for slicing or combined with grids)	
•	 Stainless steel pressing/slicing disc with S-blades 5 mm (can be used for slicing or combined with grids) 	PNC 650086		 Stainless steel pressing/slicing disc with PNC 650165 S-blades 13 mm (can be used for slicing or combined with grids) 	
	Stainless steel pressing/slicing disc	PNC 650087		 Stainless steel shredding disc with S- blades 2x2 mm 	5 🗖
	with S-blades 6 mm (can be used for slicing or combined with grids)			 Stainless steel shredding disc with S- blades 3x3 mm 	
	 Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with grids) 	PNC 650088		 Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs) 	3 🗆
•	 Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or combined with grids) 	PNC 650089		 Stainless steel work table with folding shelves and disk rack for TRK and TRS table top models 	
		DNIC 450000	_ (Dicing grid 5x5 mm PNC 65356 	6 🗖
•	 Stainless steel pressing/slicing disc with corrugated S-blades 3 mm (can 	PNC 650090	□ ,	 Dicing grid 8x8 mm PNC 65356 	7 🗆
	be used for slicing or combined with			 Dicing grid 10x10 mm PNC 65356 	8 🗆
	grids)			 Dicing grid 12x12 mm PNC 65356 	9 🗆
,	Stainless steel pressing/slicing disc	PNC 650091		 Dicing grid 20x20 mm PNC 653570 	
	with corrugated S-blades 6 mm (can			• Grid for chips 6x6 mm PNC 65357	
	be used for slicing or combined with			• Grid for chips 8x8 mm PNC 653572	
	grids)			• Grid for chips 10x10 mm PNC 653573	
	 Bistrot Pack-set stainless steel discs (2mm and 5mm slicing pressing disc, 2mm grating disc) 	PNC 650092	•	 Support for 1 disc, diam. 175mm and PNC 65363. 205mm 	2 🗖
•	 Set of 3 stainless steel discs for Pizza (2mm and 4mm pressing/slicing discs with S-blades, 7mm grating 	PNC 650107	•	 Stainless steel grating disc 2 mm PNC 653773 Stainless steel grating disc 3 mm PNC 653774 	4 🗆
	disc)			• Stainless steel grating disc 4 mm PNC 653775	
	Cleaning tool for 5-8-10 mm dicing	PNC 650110		• Stainless steel grating disc 7 mm PNC 653776	
	grids		•	 Stainless steel grating disc 9 mm PNC 65377 	
•	 Dicing kit 10x10x10mm, diam. 205mm (10mm aluminum slicing pressing disc, 10mm grid and grid cleaning tool) 	PNC 650112	_	 Stainless steel grating disc for knoedeln PNC 653778 and bread Stainless steel grating disc for parmesan PNC 653779 and bread 	
	 Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool 	PNC 650113			
•	Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool	PNC 650114			
	and grid cleaning tool				
	Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115			







Electric

Supply voltage: 220-240 V/1N ph/50 Hz
Electrical power, max: 0.37 kW
Total Watts: 0.37 kW

Capacity:

Performance (up to): 550 kg/hour

Key Information:

External dimensions, Width: 252 mm
External dimensions, Depth: 500 mm
External dimensions, Height: 515 mm
Shipping weight: 22 kg





Included Accessories • 1 of Ejector disc	PNC 653772	 Bistrot Pack-set stainless steel discs PNC 650092 (2mm and 5mm slicing pressing disc, 2mm grating disc) 	
Optional Accessories • Stainless steel shredding disc	PNC 650077 📮	 Set of 3 stainless steel discs for Pizza (2mm and 4mm pressing/ slicing discs with S-blades, 7mm 	
with S-blades 4x4 mmStainless steel shredding disc	PNC 650078 🗖	grating disc) • Cleaning tool for 5-8-10 mm dicing PNC 650110	
with S-blades 6x6 mm (can also be used for French fries)	D. 10 (50070 D	grids • Dicing kit 10x10x10mm, diam. 205mm PNC 650112	
 Stainless steel shredding disc with S-blades 8x8 mm (can also be used for French fries) 	PNC 650079 🗖	(10mm aluminum slicing pressing disc, 10mm grid and grid cleaning tool)	
 Stainless steel shredding disc with S-blades 10x10 mm (can also be used for French fries) 		 Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm 	
 Stainless steel pressing/slicing disc with S-blades 0,6 mm (can be used for slicing or combined 	PNC 650081 🚨	shredding disc, 10x10mm dicing grid) and grid cleaning tool	
with grids) Stainless steel pressing/slicing	PNC 650082 🗖	 Set of 7 discs (2mm, 5mm and 10mm PNC 650114 slicing pressing discs, 2mm and 7mm grating discs, 4x4mm 	
disc with S-blades 1 mm (can be used for slicing or combined with	FINC 030002 3	shredding discs, 10x10mm dicing grid) and grid cleaning tool	
grids) • Stainless steel pressing/slicing	PNC 650083 🗆	 Aluminum pressing/slicing disc with PNC 650115 straight blades 10 mm - for dicing 	
disc with S-blades 2 mm (can be used for slicing or combined with		 Aluminum pressing/slicing disc with PNC 650116 straight blades 8 mm - for dicing 	
grids)Stainless steel pressing/slicing disc with S-blades 3 mm (can be	PNC 650084 🗖	 Stainless steel shredding disc with S-blades 2x8 mm 	
used for slicing or combined with grids)		• Stainless steel shredding disc with S-blades 2x10 mm	
 Stainless steel pressing/slicing disc with S-blades 4 mm (can be used for slicing or combined with 	PNC 650085 🗖	 Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids) 	
grids) • Stainless steel pressing/slicing	PNC 650086 □	 Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing or combined with grids) 	
disc with S-blades 5 mm (can be used for slicing or combined with grids)		 Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be used for slicing or combined 	
Stainless steel pressing/slicing disc with S-blades 6 mm (can be	PNC 650087 □	with grids) • Stainless steel pressing/slicing disc PNC 650164	П
used for slicing or combined with grids)	DNC /50000 D	with corrugated S-blades 10 mm (can be used for slicing or combined	•
 Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with grids) 	PNC 650088 □	 with grids) Stainless steel pressing/slicing disc with S-blades 13 mm (can be used 	
Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or	PNC 650089 🗖	 for slicing or combined with grids) Stainless steel shredding disc with S-blades 2x2 mm 	
combined with grids) • Stainless steel pressing/slicing	PNC 650090 🗖	• Stainless steel shredding disc with PNC 650167 S-blades 3x3 mm	
disc with corrugated S-blades 3 mm (can be used for slicing or combined with grids)		 Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs) 	
Stainless steel pressing/slicing disc with corrugated S-blades 6 mm (can be used for slicing or	PNC 650091 🗖	 Stainless steel work table with folding shelves and disk rack for TRK and TRS table top models 	
combined with grids)		 Dicing grid 5x5 mm Dicing grid 8x8 mm PNC 653566 PNC 653567 	





 Dicing grid 10x10 mm Dicing grid 12x12 mm Dicing grid 20x20 mm Grid for chips 6x6 mm Grid for chips 8x8 mm Grid for chips 10x10 mm Support for 1 disc, diam. 175mm and 205mm 	PNC 653568
 Stainless steel grating disc 2 mm Stainless steel grating disc 3 mm Stainless steel grating disc 4 mm Stainless steel grating disc 7 mm Stainless steel grating disc 9 mm Stainless steel grating disc for knoedeln and bread Stainless steel grating disc for parmesan and bread 	PNC 653773

