

Modular Cooking Range Line thermaline 80 - Water mixing tap with lever, 1 Side - H=800



ITEM #	
MODEL #	
NAME #	
<u>SIS #</u>	
AIA #	

### **Main Features**

- Water mixing unit for hot and cold water.
- All major components may be easily accessed from the front.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.
- Large stainless steel tap.


### Construction

- 2 mm top in 1.4301 (AISI 304).
- IPX5 water resistance certification.
- Unit constructed according to DIN 18860\_2 with 20 mm drop nose top and 70 mm recessed plinth.
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in stainless steel.

#### APPROVAL:

# Electrolux PROFESSIONAL

## Modular Cooking Range Line thermaline 80 - Water mixing tap with lever, 1 Side - H=800



CE

DNV-GL

#### Water:

Inlet water line size: 3/4" Incoming Cold/hot Water line size: 3/4"

### Key Information:

External dimensions, Width:	200 mm
External dimensions, Depth:	800 mm
External dimensions, Height:	800 mm
Net weight:	25 kg

Modular Cooking Range Line thermaline 80 - Water mixing tap with lever, 1 Side - H=800

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



# **Optional Accessories**

Optional Accessories		
<ul> <li>Connecting rail kit, 800mm</li> </ul>	PNC 912500	
<ul> <li>Stainless steel side panel, 800x800mm, freestanding</li> </ul>	PNC 912508	
• Portioning shelf, 200mm width	PNC 912520	
• Portioning shelf, 200mm width	PNC 912550	
• Folding shelf, 300x800mm	PNC 912577	
• Folding shelf, 400x800mm	PNC 912578	
• Fixed side shelf, 200x800mm	PNC 912583	
• Fixed side shelf, 300x800mm	PNC 912584	
• Fixed side shelf, 400x800mm	PNC 912585	
• Stainless steel plinth, freestanding, 200mm width	PNC 912819	
• Connecting rail kit: modular 80 (on the left) to ProThermetic tilting (on the right), ProThermetic stationary (on the left) to ProThermetic (on the right)	PNC 912971	
<ul> <li>Connecting rail kit: modular 80 (on the right) to ProThermetic tilting (on the left), ProThermetic stationary (on the right) to ProThermetic (on the left)</li> </ul>	PNC 912972	
Endrail kit, flush-fitting, left	PNC 913109	
Endrail kit, flush-fitting, right	PNC 913110	
• Endrail kit (12.5mm) for thermaline 80 units, left		
• Endrail kit (12.5mm) for thermaline 80 units, right	PNC 913201	
• Stainless steel side panel, left, h=800	PNC 913216	
<ul> <li>Stainless steel side panel, right, h=800</li> </ul>	PNC 913217	
• T-connection rail for back-to- back installations without backsplash (to be ordered as S- code)	PNC 913227	
<ul> <li>Insert profile D=800mm</li> </ul>	PNC 913230	
• Endrail kit, (12.5mm), for back-to- back installation, left	PNC 913249	
• Endrail kit, (12.5mm), for back-to- back installation, right	PNC 913250	
• Endrail kit, flush-fitting, for back- to-back installation, left	PNC 913253	
• Endrail kit, flush-fitting, for back- to-back installation, right	PNC 913254	
• Side reinforced panel only in combination with side shelf, for freestanding units	PNC 913257	
<ul> <li>Side reinforced panel only in combination with side shelf, for back-to-back installations, left</li> </ul>	PNC 913273	
<ul> <li>Side reinforced panel only in combination with side shelf, for back-to-back installation, right</li> </ul>	PNC 913274	

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.