

Modular Cooking Range Line thermaline 85 - Water mixing tap with lever, 1 Side with Backsplash



Item No.

Water mixing tap with lever for hot and cold water. Unit constructed according to DIN 18860_2 with 20 mm drop nose top. Internal frame for heavy duty sturdiness in stainless steel. 2 mm top in 1.4301 (AISI 304). Flat surface construction, easily cleanable. THERMODUL connection system enables seamless worktop when units are connected and avoids soil penetrating.

IPX5 water resistant certification.

Configuration: Freestanding, one side operated with backsplash.

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

Main Features

- Water mixing unit for hot and cold water.
- IPX5 water resistance certification.
- All major components may be easily accessed from the front.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.
- Large stainless steel tap.

Construction

- 2 mm top in 1.4301 (AISI 304).
- Unit constructed according to DIN 18860_2 with 20 mm drop nose top and 70 mm recessed plinth.
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in 1.4301 (AISI 304).


APPROVAL:



Optional Accessories

Optional Accessories		
 Connecting rail kit for appliances with backsplash, 850mm 	PNC 912498	
 Portioning shelf, 200mm width 	PNC 912520	
 Portioning shelf, 200mm width 	PNC 912550	
 Folding shelf, 300x850mm 	PNC 912579	
 Folding shelf, 400x850mm 	PNC 912580	
 Fixed side shelf, 200x850mm 	PNC 912586	
 Fixed side shelf, 300x850mm 	PNC 912587	
 Fixed side shelf, 400x850mm 	PNC 912588	
Back panel, 200x700mm, for units with backsplash	PNC 913007	
• Endrail kit, flush-fitting, with backsplash, left	PNC 913115	
• Endrail kit, flush-fitting, with backsplash, right	PNC 913116	
 Endrail kit (12.5mm) for thermaline 85 units with backsplash, left 	PNC 913206	
 Endrail kit (12.5mm) for thermaline 85 units with backsplash, right 	PNC 913207	
 U-clamping rail for back-to-back installations with backsplash 	PNC 913226	
 Insert profile, d=850mm 	PNC 913231	
 Stainless steel side panel (12,5mm), 850x400mm, left side, wall mounted 	PNC 913632	
 Stainless steel side panel (12,5mm), 850x400mm, right side, wall mounted 	PNC 913633	
 Stainless steel side panel (12,5mm), 850x400mm, flush-fitting, left side, wall mounted 	PNC 913634	
 Stainless steel side panel (12,5mm), 850x400mm, flush-fitting, right side, wall mounted 	PNC 913635	
 Additional wall mounting fixation - US 	PNC 913640	
 Wall mounting kit top - TL85/90 - Factory Fitted 	PNC 913646	





Modular Cooking Range Line thermaline 85 - Water mixing tap with lever, 1 Side with Backsplash

Water:

Inlet water line size: 588710 (MBEABBBOOO)	3/4"	
Incoming Cold/hot Water line size:	3/4"	
Key Information:		

External dimensions, Width:	200 mm
External dimensions, Depth:	850 mm
External dimensions, Height:	250 mm
Net weight:	15.5 kg

Modular Cooking Range Line thermaline 85 - Water mixing tap with lever, 1 Side with Backsplash

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.