



## Modular Cooking Range Line thermaline 90 - 1000 mm Closed Work top, 1 Side with Backsplash



589169 (MCNABB000)

Closed Work Top, one-side  
operated with backsplash

### Short Form Specification

#### Item No.

Closed work top, 1000 mm wide, constructed according to DIN 18860\_2 with 20 mm drop nose top. Internal frame for heavy duty sturdiness in stainless steel. 2 mm top in 1.4301 (AISI 304). Flat surface construction, easily cleanable. THERMODUL connection system enables seamless worktop when units are connected and avoids soil penetrating.

IPX5 water resistant certification.

Configuration: One-side operated top with backsplash. The base needs to be supplied by the factory. Please include appropriate base.

ITEM # \_\_\_\_\_  
MODEL # \_\_\_\_\_  
NAME # \_\_\_\_\_  
SIS # \_\_\_\_\_  
AIA # \_\_\_\_\_

### Main Features

- All major components may be easily accessed from the front.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.

### Construction

- IPX5 water resistance certification.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in 1.4301 (AISI 304).
- Unit constructed according to DIN 18860\_2 with 20 mm drop nose top.

### Optional Accessories




• Connecting rail kit for appliances with backsplash, 900mm	PNC 912499 <input type="checkbox"/>
• Portioning shelf, 1000mm width	PNC 912528 <input type="checkbox"/>
• Portioning shelf, 1000mm width	PNC 912558 <input type="checkbox"/>
• Folding shelf, 300x900mm	PNC 912581 <input type="checkbox"/>
• Folding shelf, 400x900mm	PNC 912582 <input type="checkbox"/>
• Fixed side shelf, 200x900mm	PNC 912589 <input type="checkbox"/>
• Fixed side shelf, 300x900mm	PNC 912590 <input type="checkbox"/>
• Fixed side shelf, 400x900mm	PNC 912591 <input type="checkbox"/>
• Connecting rail kit for appliances with backsplash: modular 90 (on the left) to ProThermic tilting (on the right), ProThermic stationary (on the left) to ProThermic tilting (on the right)	PNC 912981 <input type="checkbox"/>
• Connecting rail kit for appliances with backsplash: modular 90 (on the right) to ProThermic tilting (on the left), ProThermic stationary (on the right) to ProThermic tilting (on the left)	PNC 912982 <input type="checkbox"/>
• Back panel, 1000x700mm, for units with backsplash	PNC 913015 <input type="checkbox"/>
• Back panel, 1000x800mm, for units with backsplash	PNC 913028 <input type="checkbox"/>
• Endrail kit, flush-fitting, with backsplash, left	PNC 913117 <input type="checkbox"/>
• Endrail kit, flush-fitting, with backsplash, right	PNC 913118 <input type="checkbox"/>
• Endrail kit (12.5mm) for thermaline 90 units with backsplash, left	PNC 913208 <input type="checkbox"/>
• Endrail kit (12.5mm) for thermaline 90 units with backsplash, right	PNC 913209 <input type="checkbox"/>
• U-clamping rail for back-to-back installations with backsplash (to be ordered as S-code)	PNC 913226 <input type="checkbox"/>
• Insert profile d=900	PNC 913232 <input type="checkbox"/>

APPROVAL: \_\_\_\_\_



Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)

- Stainless steel side panel (12,5mm), 900x400mm, left side, wall mounted PNC 913636
- Stainless steel side panel (12,5mm), 900x400mm, right side, wall mounted PNC 913637
- Stainless steel side panel, 900x400mm, flush-fitting, left side, wall mounted PNC 913638
- Stainless steel side panel, 900x400mm, flush-fitting, right side, wall mounted PNC 913639
- Additional wall mounting fixation - US PNC 913640
- Wall mounting kit top - TL85/90 - Factory Fitted PNC 913654

**Front****Side****Top****Key Information:****External dimensions, Width:**

589169 (MCNABBJOOO) 1000 mm

**External dimensions, Depth:** 900 mm**External dimensions, Height:** 250 mm**Net weight:** 34 kg