Electrolux
PROFESSIONAL

Modular Cooking Range Line thermaline 90 - 800 mm Cupboard base with 2 doors, GN conform, 1 Side (H2) – H=450

589186 (MC1FCAHOOO)   Cupboard Base with 2 doors, one-side operated, GN - H2

Short Form Specification

Item No. _____

800 mm wide cupboard base with 2 doors with hygienic design and round edges. Internal frame for heavy duty sturdiness in stainless steel. Flat surface construction, easily cleanable. Cupboard storage space accepts GN 1/1 containers.

IPX5 water resistant certification.

Configuration: One-side operated freestanding base, hygienic class H2.

Main Features

- Cupboard compartment for storage of pots, pans, sheet pans etc.
- All major components may be easily accessed from the front.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.
- Unit constructed according to DIN 18860_2 with 70 mm recessed plinth.

Construction

- IPX5 water resistance certification.
- Hygienic design of the base cupboard with large round edges.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Storage space in the base of the appliance accepts GN1/1 containers.
- Internal frame for heavy duty sturdiness in stainless steel.

Optional Accessories

- Stainless steel side panel, 900x700mm, freestanding   PNC 912512 ❑
- Stainless steel front kicking strip, 800mm width   PNC 912634 ❑
- Stainless steel side kicking strip left and right, freestanding, 900mm width   PNC 912657 ❑
- Stainless steel side kicking strips left and right, against the wall, 900mm width   PNC 912660 ❑
- Stainless steel side kicking strip left and right, back-to-back, 1810mm width   PNC 912663 ❑
- Stainless steel plinth, against wall, 800mm width   PNC 912939 ❑
- Stainless steel plinth, freestanding, 800mm width   PNC 912958 ❑
- Stainless steel panel, 900x700mm, against wall, left side   PNC 913101 ❑
- Stainless steel panel, 900x700mm, against wall, right side   PNC 913105 ❑
- Back panel, 800x450mm, for bases one-side operated   PNC 913167 ❑
- Stainless steel side panel, left, H=700   PNC 913222 ❑
- Stainless steel side panel, right, H=700   PNC 913223 ❑

APPROVAL:

Modular Cooking Range Line
thermaline 90 - 800 mm Cupboard base with
2 doors, GN conform, 1 Side (H2) - H=450

- Perforated shelf for warming cabinets and cupboard bases (one-side operated TL80-85-90 and two-side operated for TL80)   PNC 913234   ❑
- Side reinforced panel only in combination with side shelf, for freestanding units   PNC 913260   ❑
- Side reinforced panel only in combination with side shelf, for against the wall installations, left   PNC 913267   ❑
- Side reinforced panel only in combination with side shelf, for against the wall installations, right   PNC 913269   ❑
- Side reinforced panel only in combination with side shelf, for back-to-back installations, left   PNC 913275   ❑
- Side reinforced panel only in combination with side shelf, for back-to-back installation, right   PNC 913276   ❑
- Shelf fixation for TL80-85-90 one-side operated, TL80 two-side operated   PNC 913281   ❑
- Stainless steel dividing panel, 900x700mm, (it should only be used between Electrolux Professional thermaline Modular 90 and thermaline C90)   PNC 913672   ❑
- Stainless steel side panel, 900x700mm, flush-fitting (it should only be used against the wall, against a niche and in between Electrolux Professional thermaline and ProThermetic appliances and external appliances - provided that these have at least the same dimensions)   PNC 913688   ❑

Modular Cooking Range Line
thermaline 90 - 800 mm Cupboard base with 2 doors, GN conform, 1
Side (H2) - H=450
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2025.04.29

Front

Side

Top

Key Information:

External dimensions, Width: 589186 (MC1FCAHOOO)	800 mm
External dimensions, Depth:	900 mm
External dimensions, Height:	450 mm
Cupboard Cavity Dimensions (width):	580 mm
Cupboard Cavity Dimensions (height):	330 mm
Cupboard Cavity Dimensions (depth):	715 mm
Net weight:	30 kg

**Modular Cooking Range Line
thermaline 90 - 800 mm Cupboard base with 2 doors, GN conform, 1
Side (H2) - H=450**
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2025.04.29