

### Modular Cooking Range Line thermaline 90 - 400 mm Open base, GN conform, 1 Side (H2) - H=550

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA#	



589310 (MCIBDADOOO)

Open Base, one-side operated, GN - H2

### **Short Form Specification**

#### Item No.

400 mm wide open base compartment to store pots, pans, sheet pans, etc. with hygienic design and round edges. Internal frame for heavy duty sturdiness in stainless steel. Flat surface construction, easily cleanable. Open storage space in the base accepts GN 1/1 containers.

IPX5 water resistant certification.

Configuration: One-side operated freestanding base, hygienic class H2.

#### **Main Features**

- All major components may be easily accessed from the front.
- Unit to be placed below modular top appliances to store pots, pans, sheet pans, etc.

#### Construction


- IPX5 water resistance certification.
- Hygienic design of the open base compartment with large round edges.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Storage space in the base of the appliance that can accept GN1/1 containers.
- Internal frame for heavy duty sturdiness in stainless steel.

#### APPROVAL:





# Modular Cooking Range Line thermaline 90 - 400 mm Open base, GN conform, 1 Side (H2) - H=550



### **Key Information:**

External dimensions, Width: 589310 (MC1BDADOOO) 400 mm External dimensions, Depth: 900 mm External dimensions, Height: 550 mm **Cupboard Cavity Dimensions** 340 mm **Cupboard Cavity Dimensions** 330 mm (height): **Cupboard Cavity Dimensions** 740 mm (depth): Net weight: 20 kg





# Modular Cooking Range Line thermaline 90 - 400 mm Open base, GN conform, 1 Side (H2) - H=550

		Stainless steel side panel,	PNC 913689	
Optional Accessories	PNC 912511	900x800mm, flush-fitting (it should only be used against the wall,		
<ul> <li>Stainless steel side panel, 900x800mm, freestanding</li> </ul>	PINC 912311	against a niche and in between		
<ul> <li>Stainless steel front kicking strip, 400mm width</li> </ul>	PNC 912594	Electrolux Professional thermaline and ProThermetic appliances and external appliances - provided that		
<ul> <li>Stainless steel side kicking strips left and right, freestanding, 900mm width</li> </ul>	PNC 912621	these have at least the same dimensions)		
<ul> <li>Stainless steel side kicking strips left and right, against the wall, 900mm width</li> </ul>	PNC 912624			
<ul> <li>Stainless steel side kicking strips left and right, back-to-back, 1810mm width</li> </ul>	PNC 912627			
<ul> <li>Stainless steel plinth, against wall, 400mm width</li> </ul>	PNC 912897			
<ul> <li>Stainless steel plinth, freestanding, 400mm width</li> </ul>	PNC 912916			
Stainless steel panel, 900x800mm, against wall, left side	PNC 913102			
<ul> <li>Stainless steel panel, 900x800mm, against wall, right side</li> </ul>	PNC 913106			
Back panel, 400x550mm, for bases one-side operated	PNC 913178			
• Stainless steel side panel, left, H=800, flush	PNC 913224			
• Stainless steel side panel, left, H=800, flush	PNC 913225			
<ul> <li>Perforated shelf for warming cabinets and cupboard bases (one-side operated TL80-85-90 and two-side operated for TL80)</li> </ul>	PNC 913233			
<ul> <li>Side reinforced panel only in combination with side shelf, for freestanding units</li> </ul>	PNC 913259			
Side reinforced panel only in combination with side shelf, for against the wall installations, left	PNC 913268			
<ul> <li>Side reinforced panel only in combination with side shelf, for against the wall installations, right</li> </ul>	PNC 913270			
<ul> <li>Side reinforced panel only in combination with side shelf, for back-to-back installations, left</li> </ul>	PNC 913277			
<ul> <li>Side reinforced panel only in combination with side shelf, for back-to-back installation, right</li> </ul>	PNC 913278			
<ul> <li>Shelf fixation for TL80-85-90 one- side operated, TL80 two-side operated</li> </ul>	PNC 913279			
<ul> <li>Stainless steel dividing panel, 900x800mm, (it should only be used between Electrolux Professional thermaline Modular 90 and thermaline C90)</li> </ul>	PNC 913673			

