

Modular Cooking Range Line thermaline 90 - Water mixing tap with knobs, 1 Side with Backsplash - H=250

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



589594 (MCEBGBB3OO)

Water mixing tap Unit with knobs, one-side operated with backsplash

Short Form Specification

Item No.

Water mixing tap with knobs for hot and cold water. Unit constructed according to DIN 18860_2 with 20 mm drop nose top and 70 mm recessed plinth. Internal frame for heavy duty sturdiness in stainless steel. 2 mm top in 1.4301 (AISI 304). Flat surface construction, easily cleanable. THERMODUL connection system enables seamless worktop when units are connected and avoids soil penetrating. IPX5 water resistant certification. Configuration: Freestanding, One-side operated with backsplash.

Main Features

- Water mixing unit for hot and cold water.
- All major components may be easily accessed from the front.
- THERMODUL connection system creates a seamless work top when units are connected to each other thus avoiding soil penetrating vital components and facilitating the removal of units in case of replacement or service.
- Large stainless steel tap.


Construction

- 2 mm top in 1.4301 (AISI 304).
- IPX5 water resistance certification.
- Unit constructed according to DIN 18860_2 with 20 mm drop nose top and 70 mm recessed plinth.
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in stainless steel.

APPROVAL:



Modular Cooking Range Line thermaline 90 - Water mixing tap with knobs, 1 Side with Backsplash - H=250



Water:

Inlet water line size: 3/4" Incoming Cold/hot Water line size: 3/4"

Key Information:

External dimensions, Width: 200 mm
External dimensions, Depth: 900 mm
External dimensions, Height: 700 mm
Net weight: 28 kg





Modular Cooking Range Line thermaline 90 - Water mixing tap with knobs, 1 Side with Backsplash - H=250

PNC 913688

Optional Accessories

Optional Accessories		
• Connecting rail kit for appliances with backsplash, 900mm	PNC 912499	
 Portioning shelf, 200mm width 	PNC 912520	
Portioning shelf, 200mm width	PNC 912550	
• Folding shelf, 300x900mm	PNC 912581	
• Folding shelf, 400x900mm	PNC 912582	
• Fixed side shelf, 200x900mm	PNC 912589	
• Fixed side shelf, 300x900mm	PNC 912590	
• Fixed side shelf, 400x900mm	PNC 912591	
Stainless steel plinth, against	PNC 912933	
wall, 200mm width		
 Stainless steel plinth, freestanding, 200mm width 	PNC 912952	
 Connecting rail kit for appliances with backsplash: modular 90 (on the left) to ProThermetic tilting (on the right), ProThermetic stationary (on the left) to ProThermetic tilting (on the right) 	PNC 912981	
 Connecting rail kit for appliances with backsplash: modular 90 (on the right) to ProThermetic tilting (on the left), ProThermetic stationary (on the right) to ProThermetic tilting (on the left) 	PNC 912982	
• Back panel, 200x700mm, for units with backsplash	PNC 913007	
 Stainless steel panel, 900x700mm, against wall, left side 	PNC 913101	
 Stainless steel panel, 900x700mm, against wall, right side 	PNC 913105	
 Endrail kit, flush-fitting, with backsplash, left 	PNC 913117	
Endrail kit, flush-fitting, with backsplash, right	PNC 913118	
• Endrail kit (12.5mm) for thermaline 90 units with backsplash, left	PNC 913208	
• Endrail kit (12.5mm) for thermaline 90 units with backsplash, right	PNC 913209	
U-clamping rail for back-to-back installations with backsplash (to be ordered as S-code)	PNC 913226	
• Insert profile d=900	PNC 913232	
Side reinforced panel only in	PNC 913267	
combination with side shelf, for against the wall installations, left		
Side reinforced panel only in combination with side shelf for	PNC 913269	

•	Stainless steel side panel,
	900x700mm, flush-fitting (it should
	only be used against the wall,
	against a niche and in between
	Electrolux Professional thermaline
	and ProThermetic appliances and
	external appliances - provided that
	these have at least the same
	dimensions)



PNC 913672 🔲

combination with side shelf, for against the wall installations,

• Stainless steel dividing panel, 900x700mm, (it should only be

Professional thermaline Modular

used between Electrolux

90 and thermaline C90)