

Modular Cooking Range Line thermaline 90 - 1500 mm Open base, 1 Side (H3) - H=450-Marine

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		



589803 (MCIGCALOOM)

Open Base, one-side operated - Marine - H3 -Marine

Short Form Specification

Item No.

1500 mm wide open base compartment to store pots, pans, sheet pans, etc. with hygienic design and round edges. Internal frame for heavy duty sturdiness in stainless steel. Flat surface construction, easily cleanable.

IPX5 water resistant certification.

Configuration: One-side operated freestanding base, hygienic class H3.

Main Features

- Open base compartment for storage of pots, pans, sheet pans, etc.
- All major components may be easily accessed from the front.
- Unit to be placed below modular top appliances to store pots, pans, sheet pans, etc.

Construction


- Hygienic design of the open base compartment with large round edges.
- IPX5 water resistance certification.
- 2 mm top in 1.4301 (AISI 304).
- Flat surface construction with minimal hidden areas to easily clean all surfaces
- Internal frame for heavy duty sturdiness in stainless steel.

APPROVAL:





Modular Cooking Range Line thermaline 90 - 1500 mm Open base, 1 Side (H3) - H=450-Marine



Key Information:

External dimensions, Width: 589803 (MCIGCALOOM) 1500 mm External dimensions, Depth: 900 mm External dimensions, Height: 450 mm **Cupboard Cavity Dimensions** (width): 840 mm **Cupboard Cavity Dimensions** 330 mm (height): **Cupboard Cavity Dimensions** 740 mm (depth): Net weight: 29 kg





Modular Cooking Range Line thermaline 90 - 1500 mm Open base, 1 Side (H3) - H=450-Marine

Optional Accessories • Stainless steel side panel,

Optional Accessories		
 Stainless steel side panel, 900x700mm, freestanding 	PNC 912512	
 Stainless steel panel, 900x700mm, against wall, left side 	PNC 913101	
 Stainless steel panel, 900x700mm, against wall, right side 	PNC 913105	
• Stainless steel side panel, left, H=700	PNC 913222	
 Side reinforced panel only in combination with side shelf, for freestanding units 	PNC 913260	
 Side reinforced panel only in combination with side shelf, for against the wall installations, left 	PNC 913267	
 Side reinforced panel only in combination with side shelf, for against the wall installations, right 	PNC 913269	
 Side reinforced panel only in combination with side shelf, for back-to-back installations, left 	PNC 913275	
 Side reinforced panel only in combination with side shelf, for back-to-back installation, right 	PNC 913276	
 Stainless steel dividing panel, 900x700mm, (it should only be used between Electrolux Professional thermaline Modular 90 and thermaline C90) 	PNC 913672	
• Stainless steel side panel, 900x700mm, flush-fitting (it should only be used against the wall, against a niche and in between Electrolux Professional thermaline and ProThermetic appliances and external appliances - provided that these have at least the same dimensions)	PNC 913688	

