



Electrolux
PROFESSIONAL

Accesorios de cocina
Air remote unit for 180kg for blast
chillers and blast chillers/freezers
2x20GN 1/1 (R452A)

ARTÍCULO # _____

MODELO # _____

NOMBRE # _____

SIS # _____

AIA # _____



881225 (ARE22011R452)

Unidad de refrigeración
remota a aire para el
Abatidor/Congelador
2X20GN 1/1 - R452A

Características técnicas

The cooling unit is supplied with the following parts:

- Compressor
- Refrigerant R452A
- Filter / dryer
- Pressure switch
- Condenser with fan
- Condenser switch
- Liquid tank
- Liquid sight glass
- Liquid damper
- Liquid solenoid valve (supplied separately, unassembled)
- Safety valve
- Fan
- Electrical cabinet with control panel
- Electric scheme
- Aggregate frame

Aprobación: _____



Experience the Excellence
www.electroluxprofessional.com
marketing.es@electroluxprofessional.com



Electrolux
PROFESSIONAL

Accesorios de cocina
Air remote unit for 180kg for blast chillers and
blast chillers/freezers 2x20GN 1/1 (R452A)



Accesorios de cocina
Air remote unit for 180kg for blast chillers and blast chillers/freezers
2x20GN 1/1 (R452A)
La Empresa se reserva el derecho de modificar especificaciones sin previo aviso

2025.06.11



Electrolux
PROFESSIONAL

Accesorios de cocina
Air remote unit for 180kg for blast chillers and
blast chillers/freezers 2x20GN 1/1 (R452A)

Eléctrico

Suministro de voltaje 400 V/3N ph/50 Hz

Agua

Presión bar min/max:: 0-0 bar

Info

Dimensiones externas,
ancho 1729 mm

Dimensiones externas,
fondo 1160 mm

Dimensiones externas, alto 1121 mm

Peso neto 315 kg

- Max. ambient temperature where the remote unit can be located: +43°C
 - Min. ambient temperature where the remote unit can be located: -20°C
 - Max. piping distance: 30 meters
- Evap. T (°C) / refrigerant power EN12900 / watt

-10	-20	-30	-40
24960	16240	9970	

Información



Accesorios de cocina
Air remote unit for 180kg for blast chillers and blast chillers/freezers
2x20GN 1/1 (R452A)
La Empresa se reserva el derecho de modificar especificaciones sin previo aviso

2025.06.11