

## Refrigeration Equipment Bottle Cooler with Slide Top, 13 cu.ft

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



738116 (KCBC50-HC)

Bottle cooler, black, 13 cubic feet, R290 refrigerant gas, +33/+41 °C

### Short Form Specification

Item No. \_\_\_\_\_

Bottle cooler with slide top. Internal and external structure in painted steel and aluminium. Fin & tube condenser to improve the performances in high temperature environments. Automatic Defrost Cooling System and mechanical temperature control.

Vinyl-coated steel adjustable dividers and locking lids.

R290 gas in refrigeration circuit.

ETL Safety and Sanitation certified.

3/5 Years warranty.

### Main Features


- Fin & Tube Condenser improves performance in high temperature environments.
- Automatic Defrost Cooling System provides worry-free performance.
- 1/4 HP Compressor.
- Vinyl-Coated Steel adjustable dividers to customize bottle storage effortlessly.
- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) - CFC and HCFC free.

### Construction


- Painted steel/Painted aluminium exterior and interior.
- Mechanical control to select temperatures.
- Secure and inventory locking lids protect the contents of the unit.

APPROVAL: \_\_\_\_\_

**Front**




**Side**



EI = Electrical connection

**Top**



## Electric

**Supply voltage:**

738116 (KCBC50-HC) 115 V/1 ph/60 Hz

**Electrical power, max:**

0.9 kW

**Plug type:**

USA NEMA 5-15P

## Capacity:

**Gross capacity:** 22.6 cu.feet

## Key Information:

**External dimensions, Width:** 49 1/2" (1256.9 mm)

**External dimensions, Depth:** 28 1/16" (713.18 mm)

**External dimensions, Height:** 34 1/4" (869.16 mm)

**Type of external material:** Black Prepainted Steel

**Type of internal material:** White Prepainted Aluminium

**Warranty:** 3 / 5 years

## Refrigeration Data

**Compressor Horsepower:** 1/6

**Refrigerant type:** R290

**Operating temperature min.:** 33 °F

**Operating temperature max.:** 41 °F

**Condenser type:** Fin & tube