

Refrigerated bases 2-Drawer Chef Base Refrigerator 62" Long

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



738311 (KCHCB60R)

2-Drawer Chef Base
Refrigerator 62" Long

Short Form Specification

Item No. _____

Refrigerated base with exterior back panel in stainless steel, bottom panel in galvanized steel, exterior side panels and top in 430 stainless steel; interior back, bottom and interior side panels in 304 stainless steel. Top in 430 stainless steel. Electronic temperature control.

R290 gas in the refrigeration circuit.
ETL Safety and Sanitation certified.
3/5 Years warranty.

Main Features

- External temperature display.
- Cabinet completely insulated with high density polyurethane for low environmental impact.
- Recommended maximum temperature on worktop surface is 572°F.
- Insulation of the top guaranteed thanks to the Integrated ceramic fiber heat shield.


Construction

- Pre-wired heavy duty power cord.

Sustainability

- CFC and HCFC free, highly ecological refrigerant type: R290 (ecological gas in foam: cyclopentane). Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3), to reduce green house and ozone depletion effects.
- High efficiency components to minimize the energy consumption still guaranteeing the highest performances.
- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) - CFC and HCFC free.

APPROVAL: _____



Electric

Supply voltage:

738311 (KCHCB60R) 115 V/1 ph/60 Hz

Electrical power, max:

0.2 kW

Total Watts:

0.2 kW

Plug type:

USA NEMA 5-15P

Key Information:

External dimensions, Width: 62 1/16" (1576 mm)

External dimensions, Depth: 31 7/8" (810 mm)

External dimensions, Height: 26" (660 mm)

Gross capacity:

Net weight: 269 lbs (122 kg)

Shipping width: 63 3/16" (1605 mm)

Shipping depth: 32 7/8" (835 mm)

Shipping height: 28 3/8" (720 mm)

Shipping weight: 298 lbs (135 kg)

Shipping volume: 34.07 ft³ (0.96 m³)

Refrigeration Data

Refrigerant weight: 0.198 lbs (90 g)

Sustainability

Current consumption:

2.1 Amps

Refrigerant type:

R290