

Refrigerated bases
Refrigerated Chef Base, 60
" (R290)


ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



738311 (KCHCB60R)

2-Drawer Chef Base
Refrigerator 62" Long

Short Form Specification

Item No. _____

Refrigerated base with exterior back panel in stainless steel, bottom panel in galvanized steel, exterior side panels and top in 430 stainless steel; interior back, bottom and interior side panels in 304 stainless steel. Top in 430 stainless steel. Electronic temperature control.

R290 gas in the refrigeration circuit.
ETL Safety and Sanitation certified.
3/5 Years warranty.

Main Features

- External temperature display.
- Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3) - CFC and HCFC free.
- Cabinet completely insulated with high density polyurethane for low environmental impact.
- Recommended maximum temperature on worktop surface is 572°F.
- Insulation of the top guaranteed thanks to the Integrated ceramic fiber heat shield.


Construction

- Pre-wired heavy duty power cord.

Sustainability

- CFC and HCFC free, highly ecological refrigerant type: R290 (ecological gas in foam: cyclopentane). Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3), to reduce green house and ozone depletion effects.
- High efficiency components to minimize the energy consumption still guaranteeing the highest performances.

APPROVAL: _____



Electric

Supply voltage:	115 V/1 ph/60 Hz
738311 (KCHCB60R)	
Electrical power, max:	0.2 kW
Total Watts:	0.2 kW
Plug type:	USA NEMA 5-15P

Key Information:

External dimensions, Width:	62 1/16" (1576 mm)
External dimensions, Depth:	31 7/8" (810 mm)
External dimensions, Height:	26" (660 mm)
Gross capacity:	
Net weight:	269 lbs (122 kg)
Shipping width:	63 3/16" (1605 mm)
Shipping depth:	32 7/8" (835 mm)
Shipping height:	28 3/8" (720 mm)
Shipping weight:	322 lbs (146 kg)
Shipping volume:	34.07 ft ³ (0.96 m ³)

Refrigeration Data

Refrigerant weight:	0.198 lbs (90 g)
---------------------	------------------

Sustainability

Current consumption:	2.1 Amps
Refrigerant type:	R290