

# FROSTY, 2 BOWLS, MECHANICAL CONTROL



**Ref: 560593**  
**(FROSTY2NEW)**

SLUSH MACHINE FROSTY 2 STD 230/50 BLACK - GAS R290

## General Features

FROSTY is the ideal slushy machine for those who want large-sized equipment with high performance, but with a low investment budget.

FROSTY 2 is the equipment for the production and dispensing of slushie, sorbets and other frozen specialties, with n. 2 tanks with a capacity of 12 litres each.

Tanks work independently and are illuminated with a LED lighting system, for a strong appeal to the consumer, and encouraging impulse purchases.

FROSTY has a double mixing system prevents ice accumulation, for optimum product consistency.

This slush machine has a manual control keypad, to turn on/off the lights and set the "production" mode and the "night" mode.

# FROSTY, 2 BOWLS, MECHANICAL CONTROL

## Specifications

- It is possible to customize the graphics on the front, on the lid and on the back (subject to negotiation).
- Safety stop system.
- Tanks work independently.
- Equipped with a LED lighting system to enhance product visibility, for a strong attraction effect, and to stimulate impulse purchases.
- Lockable lid
- Perfect for dispensing granitas, sorbets and other frozen specialties.
- The mechanical control allows you to manually set the start the "production mode" and the "night mode" and turn on/off the LED-lights.

## Construction

- Double mixing system to guarantee a perfect consistency of the dispensed product.
- Slushy machine, equipped with 2x12-litres tanks

# FROSTY, 2 BOWLS, MECHANICAL CONTROL

## Electric

Supply voltage:	220-240 V / 1 ph / 50 Hz
Electrical power max.:	0.9 kW
Current consumption:	3.9 Amps
Plug type:	CE-SCHUKO

## Key Information:

Number of bowls:	2
Bowl's capacity:	12 lt
Control board:	
Dimensions, Width:	400 mm
Dimensions, Depth:	555 mm
Dimensions, Height:	825 mm
Net weight:	52 kg
Cooling system:	AIR

## Refrigeration Data

Refrigerant gas:	R290
------------------	------


## Certifications




The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.08.06


Front



Rear side



Distances



# SPM

[www.spm.drink-systems.com](http://www.spm.drink-systems.com)  
[infospm@electroluxprofessional.com](mailto:infospm@electroluxprofessional.com)