

# I-PRO 2 BOWLS, WITH MECHANICAL CONTROL - R290



## Ref: 561558 (IPRO2M)

Slushie machine, with 2x11-litres lighted and insulated bowls I-Tank, mechanical control, refrigerant gas R290

I-PRO 2 MECHANICAL is a professional slush machine with n. 2 I-Tank insulated bowls, 11 litres each, and mechanical control.

Every detail has been studied to create a unique equipment thanks to the numerous patents and innovations available for this model.

This equipment has the I-Tank insulated tank as standard. The shape of the tanks, which work independently, guarantees a natural mixing effect for an optimal consistency of the product.

The look of this equipment is modern and eye-catching, thanks to the LED-light system that illuminates the product inside the tank.

The equipment can dispense: slushies, milkshakes, cold drinks and frozen cocktails.

I-PRO is an ideal slush machine for bars, amusement parks, fast food chains, kiosks, restaurants, water parks and much more.

# I-PRO 2 BOWLS, WITH MECHANICAL CONTROL - R290

## Specifications

- It is possible to customize the graphics on the front, on the lid and on the back (subject to negotiation).
- The special shape of the I-PRO tanks, 11 litres of finished product each and LED-lighted, allows for a natural mixing effect which guarantees perfect consistency of the product.
- Tanks work independently, this allows you to produce with a single equipment: slushies, milkshakes, frozen drinks and cold drinks.
- I-PRO is an ideal slush machine for bars, amusement parks, motorway restaurants, fast food chains, kiosks, restaurants, water parks and much more.
- Optionals available: autofill lid (pre-mix or post-mix) for the automatic filling of the tanks, and the LED-backlighted front panel.

## Construction

- Slush machine with 2x11-litres insulated bowls
- The patented I-Tank insulated bowl reduces the impact of ambient temperature on the product, improving its cooling efficiency and guaranteeing energy and cost savings.
- The mechanical control allows you to manually set the “production mode” and the “night mode”.

# I-PRO 2 BOWLS, WITH MECHANICAL CONTROL - R290

## Electric

|                        |                          |
|------------------------|--------------------------|
| Supply voltage:        | 220-240 V / 1 ph / 50 Hz |
| Electrical power max.: | 0.78 kW                  |
| Current consumption:   | 4.2 Amps                 |
| Plug type:             | CE-SCHUKO                |

## Key Information:

|                     |                        |
|---------------------|------------------------|
| Number of bowls:    | 2                      |
| Bowl's capacity:    | ISO 9001; ISO 14001 lt |
| Control board:      | Mechanical             |
| Dimensions, Width:  | 400 mm                 |
| Dimensions, Depth:  | 580 mm                 |
| Dimensions, Height: | 870 mm                 |
| Net weight:         | 60 kg                  |
| Cooling system:     | AIR                    |

## Refrigeration Data

|                  |      |
|------------------|------|
| Refrigerant gas: | R290 |
|------------------|------|



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.12.06

