Cold Beverage Dispenser - Classic 2x9 lt, R290



Ref: CCCRLA (CCCRLA)

Cold beverages dispenser, 2x9 liters bowls, with stainless steel panels

General Features

MINI D is a cold drink dispenser, compact size, with 2x9 litres capacity tanks.

The machine cools and dispenses ready-made drinks to be poured inside the bowl such as fresh juices, teas, cocktails, water etc..

The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up. The superior engineering ensures a perfect temperature from the first to the last drop of dispensed product.

Two-piece stainless steel dripless pouring valves are easy to use and clean. Suitable for cups up to 8 inch height (20 cm).

Drinks stirring by a magnetic submerged impeller. Agitators are provided with each unit, including the accessory for the spectacular fountain effect.

Side panels are in stainless steel.

OPTIONALS AVAILABLE:

- VALVE CAP: Improves sealing of valve when using pulpy product
- LOW FOAM IMPELLER: ideal for iced teas and milk based drinks to minimize foaming



Cold Beverage Dispenser - Classic 2x9 lt, R290

Specifications

- Appealing cold drink dispenser equipped with 2 bowls, 9 litres each
- MINI D is perfect to refresh and dispense cold coffees, teas, fresh juices or cocktails
- Suitable for cups up to 8 inch height (20 cm)

Construction

- Pre-mix dispenser with stainless steel base and clear plastic bowls
- The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up
- Two-piece stainless steel dripless pouring valves are easy to use and clean
- Magnetic submerged impeller
- Refrigerant type: R290



Cold Beverage Dispenser - Classic 2x9 lt, R290

Electric

220-240 V / 1N ph / 50/60 Hz Supply voltage:

Electrical power max.: 0.6 kW **Current consumption:** 2.5 Amps Plug type: CE-SCHUKO

Key Information:

0 Number of bowls: Bowl's capacity: 0 It Dimensions, Width: 286 mm Dimensions, Depth: 406 mm Dimensions, Height: 648 mm Net weight: 18 kg

Refrigeration Data

R290 Refrigerant gas:

Certifications





The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.05.09

