## **CLASSIC 1** group



## Ref602645 (UCLASSIC1UL)

Traditional Espresso Machine

- $\cdot 1 \, \text{Group}$
- $\cdot$  No Steam Hot Water Inox Steam
- $\cdot \log$
- 110 V 1N 60~Hz 1,7kW
- $\cdot$  UL/NSF Certified

## **General Features**

The Classic is the perfect traditional espresso machine to guarantee topquality espresso and consistency even in busy periods.

With elegant lines and reliable technologies appreciated by coffee professionals, the Classic is made even more attractive by its quality/price ratio. The Classic is available in 1, 2 or 3 group configurations.

## **CLASSIC 1** group

## **Main Features**

- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.
- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicability, and unlimited steam.

## Construction

• Built-in cup warmer.

## **Included Accessories**

**Optional Accessories** 

• KIT OF RAISED 3" FEET

PNC 871041

## UNIC

## **CLASSIC 1** group

#### Electric

Supply voltage: 110 V/1 ph/60 Hz **Electrical power, max:** 1.7 kW


## Plug type:

## Water:

**Cold water temperature** 5/60°C (min/max):

#### **Kev Information:**

External dimensions, Height:	22 13/16" (580 mm)
External dimensions, Weight:	90 lbs (41 kg)
Net weight:	90 lbs (41 kg)
Shipping width:	19 11/16" (500 mm)
Shipping depth:	29 1/2" (750 mm)
Shipping height:	33 1/16" (840 mm)
Shipping weight:	112 lbs (51 kg)
Shipping volume:	0.3 m <sup>3</sup>



## **Certifications**







The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.05.20

Electrolux Part of Professional Group

# **UNIC**