## **CLASSIC 2 groups**



### Ref602646 (UCLASSIC2UL)

Traditional espresso maker, 2 groups, 10,1 liter boiler, 2 independent control boxes with 4 programmable dosing program, manual water & steam, automatic cleaning cycle, stainless steel body

### **General Features**

Traditional 2 groups espresso maker with large steam boiler. Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. Designed for rugged commercial application, the CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, consistency and high performance during rush period.

### **CLASSIC 2 groups**

### **Main Features**

- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicability, and unlimited steam.
- 2 stainless steel Steam arms / 2 Steam switches on, off and pulse positions.

### Construction

• Built-in cup warmer.

### **Optional Accessories**

• RAISED FEET KIT

PNC 871041

## UNIC

## **CLASSIC 2 groups**

### Electric

Supply voltage: 602646 (UCLASSIC2UL)

**Electrical power, max:** 

220 V/1N ph/60 Hz 4.3 kW


#### Plug type:

Water:

**Cold water temperature** (min/max): 5 / 60 °C

### **Key Information:**

-	
External dimensions, Width:	25 1/4" (642 mm)
External dimensions, Depth:	22 7/16" (570 mm)
External dimensions, Height:	20 " (508 mm)
External dimensions, Weight:	121 lbs (55 kg)
Net weight:	121 lbs (55 kg)
Shipping width:	43 5/16" (1100 mm)
Shipping depth:	29 1/2" (750 mm)
Shipping height:	33 1/16" (840 mm)
Shipping weight:	176 lbs (80 kg)
Shipping volume:	0.7 m <sup>3</sup>



### Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.04.09

Part of Professional Group

# UNIC