# **CLASSIC PLUS 1 group, Tall cup, Steamair**



### Ref602943 (UCLASSIC1HPSGUL)

Traditional espresso maker, 1 group, tall cup configuration, 6.3 liter boiler, 4 programmable dosing program, Steamair, time programmable water, automatic cleaning cycle, stainless steel body

#### **General Features**

High profile Single group espresso maker with large steam boiler for direct preparation into large to-go cups (cup clearance up to 7"). Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. Designed for rugged commercial application, the CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, consistency and high performance during rush period. Its most economical dimensions can place it on most counters with limited space. Steamair auto milk foam and auto temperature control.



## **CLASSIC PLUS 1 group, Tall cup, Steamair**

#### **Main Features**

- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.
- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated servicability, and unlimited steam.
- The tall cup configuration allows the barista to easily prepare large size drinks according to the larger cup clearance available.
- Programmable steam and hot water.
- Steamair milk auto-frother programmable outlet.

#### Construction

• Built-in cup warmer.

#### **Optional Accessories** NOT TRANSLATED -PNC 871010 NOT TRANSLATED -PNC 871011 NOT TRANSLATED -PNC 871012 NOT TRANSLATED -PNC 871013 NOT TRANSLATED -PNC 871017 NOT TRANSLATED -PNC 871018 NOT TRANSLATED -

PNC 871019



# **CLASSIC PLUS 1 group, Tall cup, Steamair**

### **Electric**

Supply voltage:

602943

(UCLASSIC1HPSGUL) 110 V/1 ph/60 Hz

**Electrical power, max:** 1.7 kW

Plug type:

Water:

**Cold water temperature** 

5/60°C (min/max):

**Key Information:** 

External dimensions,

13 1/2" (343 mm) Width:

External dimensions,

Depth: 22 3/8" (568 mm)

External dimensions,

25 9/16" (650 mm) Height:

External dimensions,

Weight: 99 lbs (45 kg) Net weight: 99 lbs (45 kg)

**Shipping width:** 19 11/16" (500 mm) **Shipping depth:** 29 1/2" (750 mm) **Shipping height:** 33 1/16" (840 mm) **Shipping weight:** 121 lbs (55 kg)

 $0.3 \, \text{m}^3$ **Shipping volume:** 

#### **Certifications**











The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.10.30





