TANGO ACE 120, Steamair



Ref602739 (ACE120SAUL)

Super Automatic Espresso Machine

- · 1 Group
- · 2 Grinders
- · No Milk System Steamair Mitigated Hot Water
- · 208-240V 1N 60~Hz
- · UL/NSF Certified
- · Shiny Black

General Features

The Tango® Ace impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.

The Tango® Ace fitted with a 7 inches touchscreen, offers a 48 drinks menu, all customizable. Milk-based drinks can be easily prepared with the Cappuccinator device or the Steamair milk auto-frother to process fresh milk into specialty coffee drinks as cappuccino, latte, mocha...



TANGO ACE 120, Steamair

Main Features

- Auto cleaning program.
- 1 group full-automatic machine.
- 6.5 liter steam/coffee boiler.
- Steamair milk auto-frother programmable outlet.
- The super automatic coffee machine Tango® Ace impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.
- The Tango® Ace comes in 3 different colors: shiny white, glossy black and brushed stainless steel, fitted with a new 7" color touch screen user interface. This full automatic coffee machine has a 48 drinks menu, all customizable and comprehensive with the addition of the Cappuccinatore device to process fresh into specialty coffee drinks as cappuccino, latte, mocha...
- Delivery capacity: Espresso 40ml: 220 cups/ h Lungo 100ml: 150 cups/h Hot water: 30 L/ h

Construction

- PID (proportional-integral-derivative)
 Temperature control: a precise controller algorithm system that gives consistency and accuracy to brewing temperature management system.
- 2 coffee grinders (1 x 1,7 kg & 1 x 1,2 kg coffee hoppers).
- LCD Touchscreen.

Optional Accessories

• KIT OF RAISED 3" FEET

PNC 871041



TANGO ACE 120, Steamair

Electric

Supply voltage: 208-240 V/1 ph/60 Hz

Electrical power, max: 5.5 kW

Plug type:

Water:

Cold water temperature

5/60°C (min/max):

Key Information:

External dimensions,

33 5/16" (846 mm) Height:

External dimensions,

227 lbs (103 kg) Weight: Net weight: 227 lbs (103 kg) **Shipping width:** $(1100 \, \text{mm})$ Shipping depth: $(750 \, \text{mm})$ (840 mm) **Shipping height:**

Shipping weight: lbs (122 kg) $0.7 \, \text{m}^3$

Shipping volume:

Certifications















The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.07.01





