### **TANGO ST SOLO 121, Steamair**



### Ref602745 (SOLOST121SAUL)

Super Automatic Espresso Machine

- 1 Group
- $\cdot$  2 Grinders
- Cappuccinator Steamair Mitigated Hot Water
- ·208-240V 1N 60~Hz
- · UL/NSF Certified
- $\cdot$  Inox

### **General Features**

The Tango® ST delivers exceptional coffee quality with the patented Tango® Dual Infusion Chamber, engineered for high performance and precision. Ideal for busy environments like cafes, bars, and hospitality venues, this super-automatic machine offer unparalleled reliability and consistency, creating outstanding espresso every time. With intuitive controls and robust features, the Tango® ST makes exceptional coffee accessible for both barista and self-service settings.

## TANGO ST SOLO 121, Steamair

### **Main Features**

- Auto cleaning program.
- 1 group full-automatic machine.
- 6.5 liter steam/coffee boiler.
- The super automatic coffee machine Tango® ST Solo takes up a 7" color touch screen user interface to control intuitively the TANGO® group head recognized for its exceptional coffee extraction quality. It aims to automatically transform coffee and fresh milk into a variety of espresso beverages.
- The machine is able to create and compose a choice of 48 drinks menu and delivers 2 drinks simultaneously operating water and steam: it impresses its users with an exceptional result in every cup, and the quality of its equipment makes it a highly reliable choice for demanding professional use.
- 1 x Tango Cappuccinatore device with double feature L: for hot milk and C: for foam by air injection.
- Programmable water and steam.
- Delivery Capacity: Espresso 40ml: 270 cups/h Lungo 100ml: 180 cups/h Hot Water: 36 L/h Cappuccino 100ml: 240 cups/h Latte 100ml: 180 cups/h
- To obtain milk based beverages, the side milk refrigerator is needed.
- Steamair milk auto-frother programmable outlet.

### Construction

- PID (proportional-integral-derivative) Temperature control: a precise controller algorithm system that gives consistency and accuracy to brewing temperature management system.
- 2 coffee grinders (1 x 1,7 kg & 1 x 1,2 kg coffee hoppers).
- LCD Touchscreen.
- LED lights on body.

### **Optional Accessories**

• KIT OF RAISED 3" FEET

PNC 871041

## UNIC

## TANGO ST SOLO 121, Steamair

208-240 V/1 ph/60 Hz

5.5 kW

### Electric

Supply voltage: Electrical power, max:


Plug type:

### Water:

**Cold water temperature** (min/max): 5/60 °C

#### **Key Information:**

-	
External dimensions, Height:	29 5/8" (833 mm)
External dimensions, Weight:	216 lbs (102 kg)
Net weight:	216 lbs (102 kg)
Shipping width:	(1100 mm)
Shipping depth:	(750 mm)
Shipping height:	(840 mm)
Shipping weight:	lbs (119 kg)
Shipping volume:	0.7 m <sup>3</sup>



55

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.07.01

**Certifications** 

Part of Part of Group

# UNIC